MANGANESE 403

8. REFERENCES

Abbott PJ. 1987. Methylcyclopentadienyl manganese tricarbonyl (MMT) in petrol: The toxicological issues. Sci Total Environ 67:247-255.

- *Abdel-Hamid MM, El-Desoky SA, Magdi SM. 1990. Estimation of manganese in blood between exposed workers to different concentrations at industrial units. Egypt J Pharm Sci 31:143-150.
- *Abrams E, Lassiter JW, Miller WJ, et al. 1976a. Effect of dietary manganese as a factor affecting ⁵⁴Mn absorption in rats. Nutr Rep Int 14:561-565.

Abrams E, Lassiter JW, Miller WJ, et al. 1976b. Absorption as a factor in manganese homeostasis. J Anim Sci 42:630-636.

- *ACGIH. 1998. TLV-Threshold limit values and biological exposure indices for 1996-1997. American Conference of Governmental Industrial Hygienists. Cincinnati, OH.
- *Adams RM and Manchester RD. 1982. Allergic contact dermatitis to maneb in a housewife. Contact Dermatitis 8:271.
- *Adinolfi M. 1985. The development of the human blood-csf-brain barrier. Dev Med Child Neurol 27:532-537.

Adkins B, Luginbuhl GH, Gardner DE. 1980a. Biochemical changes in pulmonary cells following manganese oxide inhalation. J Toxicol Environ Health 6:445-454.

- *Adkins B, Luginbuhl GH, Gardner DE. 1980b. Acute exposure of laboratory mice to manganese oxide. Am Ind Hyg Assoc J 41:494-500.
- *Adkins B, Luginbuhl GH, Miller FJ, et al. 1980c. Increased pulmonary susceptibility to streptococcal infection following inhalation of manganese oxide. Environ Res 23:110-120.
- *Afsar H and Demirata B. 1987. Simple method for distinguishing maneb, zineb, mancozeb, and selected mixtures. J Assoc Off Anal Chem 70:923-924.
- *Ahmad N, Guo L, Mandarakas P, et al. 1996. Headspace gas-liquid chromatographic determination of dithiocarbamate residues in fruits and vegetables with confirmation by conversion to ethylenethiourea. J AOAC International 79:1417-1422.
- *Aihara K, Nishi Y, Hatano S, et al. 1985. Zinc, copper, manganese, and selenium metabolism in patients with human growth hormone deficiency or acromegaly. J Pediatr Gastroenterol Nutr 4:610-618.
- *Akbar-Khanzadeh F. 1993. Short-term respiratory function changes in relation to workshift welding fume exposures. Int Arch Occup Environ Health 64:393-397.

-

^{*}Cited in text

MANGANESE 404 8. REFERENCES

- *Alarcón OM, Reinosa-Fuller JA, Silva T, et al. 1996. Manganese levels in serum of healthy Venezuelan infants living in Mérida. J Trace Elem Med Biol 10:210-213.
- *Alessio L, Apostoli P, Ferioli A, et al. 1989. Interference of manganese on neuroendocrinal system in exposed workers. Preliminary report. Biol Trace Elem Res 21:249-253.
- *Ali MM, Murthy RC, Mandal SK, et al. 1985. Effect of low protein diet on manganese neurotoxicity: III. Brain neurotransmitter levels. Neurobehav Toxicol Teratol 7:427-431.
- *Ali MM, Murthy RC, Saxena DK, et al. 1983a. Effect of low protein diet on manganese neurotoxicity: I. Developmental and biochemical changes. Neurobehav Toxicol Teratol 5:377-383.
- *Ali MM, Murthy RC, Saxena DK, et al. 1983b. Effect of low protein diet on manganese neurotoxicity: II. Brain GABA and seizure susceptibility. Neurobehav Toxicol Teratol 5:385-389.
- *Altman PK, Dittmer DS. 1974. Biological handbooks: Biology data book. Volume III, 2nd ed. Bethesda, MD: Federation of American Societies for Experimental Biology, 1987-2008, 2041.
- *Amdur MO, Norris LC, Heuser GF. 1944. The need for manganese in bone development by the rat. Proc Soc Exp Biol Med 59:254-255.
- *Andersen ME, Clewell HJ,III, Gargas ML, et al. 1987. Physiologically-based pharmacokinetics and the risk assessment process for methylene chloride. Toxicol Appl Pharmacol 87:185-205.
- *Andersen ME, Krishnan K. 1994. Relating *in vitro* to *in vivo* exposures with physiologically-based tissue dosimetry and tissue response models. In: Salem H, ed. Animal test alternatives. Aberdeen Proving Ground, MD: U.S. Army Chemical Research Development and Engineering Center.
- *Andersen ME, Gearhart JM, Clewell III, HJ. 1999. Pharmacokinetic data needs to support risk assessments for inhaled and ingested manganese. Neurotoxicology 20:161-171.
- Angerer J, Schaller KH. 1985. Digestion procedures for the determination of metals in biological samples. In: Analysis of hazardous substances in biological materials. Vol. 2. Weinheim, FRG: VCH, 1-30.
- Anke M, Groppel B. 1987. Toxic actions of essential trace elements (molybdenum, copper, zinc, iron and manganese). Trace Element Anal Chem Med Biol 4:201-236.
- Anonymous. 1988. Manganese deficiency in humans: Fact or fiction? [Editorial]. Nutr Rev 46:348-352.
- *APHA. 1985a. Determination of micro quantities of aluminum, antimony, arsenic, barium, beryllium, cadmium, chromium, cobalt, copper, iron, lead, manganese, molybdenum, nickel, selenium, silver, and tin by electrothermal atomic absorption spectrometry. In: Standard methods for the examination of water and wastewater. 16th ed. American Public Health Association, Washington, DC.
- *APHA. 1985b. Manganese (Total). In: Standard methods for the examination of water and wastewater. 16th ed. American Public Health Association, Washington, DC.

MANGANESE 405 8. REFERENCES

- *APHA. 1985c. Metals by atomic absorption spectrometry. In: Standard methods for the examination of water and wastewater. 16th ed. American Public Health Association, Washington, DC.
- *APHA. 1985d. Metals by emission spectroscopy using an inductively coupled plasma source (tentative). In: Standard methods for the examination of water and wastewater. 16th ed. American Public Health Association, Washington, DC.
- *APHA. 1985e. Determination of antimony, bismuth, cadmium, calcium, cesium chromium, cobalt, copper, gold, iridium, iron, lead, lithium, magnesium, manganese, nickel, palladium, potassium, rhodium, ruthenium, silver, sodium, strontium, thallium, tin, and zinc by direct aspiratin into an air-acetylene flamemethod 303A. In: Standard methods for the examination of water and wastewater. 16th ed. Washington, DC: American Public Health Association, 157-160.
- APHA. 1985f. Determination of low concentrations of cadmium, chromium, cobalt, copper, iron, lead, manganese, nickel, silver. and zinc by chelation with ammonium pyrrolidine dithiocarbamate (APDC) and extraction into methyl isobutyl ketone (MIBK)-method 303B. In: Standard methods for the examination of water and wastewater. 16th ed. Washington, DC: American Public Health Association, 160-162.
- *Archibald FS, Tyree C. 1987. Manganese poisoning and the attack of trivalent manganese upon catecholamines. Arch Biochem Biophys 256:638-650.
- *Arias E and Zavanella T. 1979. Teratogenic effects of manganese ethylenebisdithiocarbamate (maneb) on forelimb regeneration in the adult newt, Triturus cristatus carnifex. Bull Environ Contam Toxicol 22:297-304.
- *Arnaud J, Favier A. 1995. Copper, iron, manganese and zinc contents in human colostrum and transitory milk of French women. Sci Total Environ 159:9-15 [Retrieval in progress].
- *Arnold ML, McNeill FE, Chettle DR. 1999. The feasibility of measuring manganese concentrations in human liver using neutron activation analysis. Neurotoxicology 20:407-412.
- *Aschner M, Aschner JL. 1991. Manganese neurotoxicity: Cellular effects and blood-brain barrier transport. Neurosci Biobehav Rev 15:333-340.
- Aschner M, Vrana KE, Zheng W. 1999. Manganese uptake and distribution in the central nervous system (CNS). Neurotoxicology 20:173-180.
- Asubiojo OI, Iskander FY. 1988. A trace element study of commercial infant milk and cereal formulas. J Radioanal Nucl Chem 125:265-270.
- *ATSDR. 1989. Decision guide for identifying substance-specific data needs related to toxicological profiles. Agency for Toxic Substances and Disease Registry, Division of Toxicology, Atlanta, GA.
- *ATSDR/CDC. 1990. Subcommittee report on biological indicators of organ damage. Agency for Toxic Substances and Disease Registry, Centers for Disease Control and Prevention, Atlanta GA.
- *Aue WA, Millier B, Sun XY. 1990. Determination of (methylcyclopentadienyl)manganese tricarbonyl in gasolines by gas chromatography with flame photometric detection. Anal Chem 62:2453-2457.

- Ayotte P, Plaa GL. 1985. Hepatic subcellular distribution of manganese in manganese and manganese bilirubin induced cholestasis. Biochem Pharmacol 34:3857-3865.
- *Baes CF III, Sharp RD. 1983. A proposal for estimation of soil leaching and leaching constants for use in assessment models. J Environ Qual 12:17-28.
- Baker DH and Halpin KM. 1991. Manganese and iron interrelationship in the chick. Poultry Sci 70:146-152.
- *Baldwin M, Mergler D, Larribe F, et al. 1999. Bioindicator and exposure data for a population based study of manganese. Neurotoxicology 20:343-354.
- *Ballatori N, Miles E, Clarkson TW. 1987. Homeostatic control of manganese excretion in the neonatal rat. Am J Physiol 252:R842-R847.
- *Baly DL, Lee I, Doshi R. 1988. Mechanism of decreased insulinogenesis in manganese-deficient rats. Decreased insulin mRNA levels. FEBS Lett 239:55-58.
- *Banta RG and Markesbery WR. 1977. Elevated manganese levels associated with dementia and extrapyramidal signs. Neurology 27:213-216.
- *Barbeau A. 1984. Manganese and extrapyramidal disorders (a critical review and tribute to Dr. George C. Cotzias). Neurotoxicology 5:13-35.
- *Bardarov V and Zaikov C. 1989. Application of high-performance liquid chromatography with spectrophotometric and electrochemical detection to the analysis of alkylenebis(dithiocarbamates) and their metabolites. J Chromatogr 479:97-105.
- *Barnes DG, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessments. U.S. Environmental Protection Agency. Regul Toxicol Pharmacol 8:471-486.
- *Baruthio F, Guillard O, Arnaud J, et al. 1988. Determination of manganese in biological materials by electrothermal atomic absorption spectrometry: A review. Clin Chem 34:227-234.
- *Baselt RC. 1988. Manganese. In: Biological monitoring methods for industrial chemicals. Littleton, MA: PSG Publishing Company, Inc., 194-197.
- *Bason CW and Colborn T. 1991. U.S. application and distribution of pesticides and industrial chemicals capable of disrupting endocrine and immune systems. In: Colborn T and Clement, eds. Advances in modern environmental toxicology, vol. 21. Chemically-induced alterations in sexual and functional development. The Wildlife/Human Connection, July 26-28, 1991. Racine, WI: Princeton Scientific Publishing Co. Inc.: Princeton, New Jersey, ISBN 0-911131-35-3.; 1992. 335-345.
- Baxter DJ, Smith WO, Klein GC. 1965. Some effects of acute manganese excess in rats. Proc Soc Exp Biol Med 119:966-970.
- *Beach ED, Fernandez-Cornejo J, Huang W.-Y. 1995. The potential risks of groundwater and surface water contamination agricultural chemicals used in vegetable production. J Environ Sci Health. A30(6):1295-1325.

*Beck SL. 1990. Prenatal and postnatal assessment of maneb-exposed CD-1 mice. Reprod Toxicol 4:283-90.

*Beklemishev MK, Stoyan TA, Dolmanova IF. 1997. Sorption-catalytic determination of manganese directly on a paper-based chelating sorbent. Analyst 122:1161-1165.

*Bell JG, Keen CL, Lönnerdal B. 1989. Higher retention of manganese in suckling than in adult rats is not due to maturational differences in manganese uptake by rat small intestine. J Toxicol Environ Health 26:387-398.

*Bergstrom R. 1977. Acute pulmonary toxicity of manganese dioxide. Scand J Work Environ Health 3 (Suppl 1):1-40.

Berlin M, Lee IP, Russell LD. 1983. Effects of metals on male reproduction. In: Clarkson TW, Nordberg GF, Sager PR, eds. Reproductive and developmental toxicity of metals. New York, NY: Plenum Press, 29-40.

*Bernardino ME, Young SW, Lee JKT, et al. 1992. Hepatic MR imaging with MnDPDP: Safety, image quality, and sensitivity. Radiology 183:53-58.

*Bernheimer H, Birkmayer W, Hornykiewicz O, et al. 1973. Brain dopamine and the syndromes of Parkinson and Huntington: Clinical, morphological and neurochemical correlations. J Neurol Sci 20: 415-455.

Bertinchamps AJ, Cotzias GC. 1958. Biliary excretion of manganese. Fed Proc 17:428.

*Bertinchamps AJ, Miller ST, Cotzias GC. 1965. Interdependence of routes excreting manganese. Am J Physiol 211:217-224.

Beuter A, Edwards R, de Geoffroy A, et al. 1999. Quantification of neuromotor function for detection of the effects of manganese. Neurotoxicology 20:355-366.

*Bird ED, Anton AH, Bullock B. 1984. The effect of manganese inhalation on basal ganglia dopamine concentrations in rhesus monkey. Neurotoxicology 5:59-65.

Blais JF, Tyagi RD, Auclair JC. 1993. Metals removal from sewage sludge by indigenous iron-oxidizing bacteria. J Environ Sci Health (A) 28:443-467.

Bolze MS, Reeves RD, Lindbeck FE, et al. 1985. Influence of manganese on growth, somatomedin and glycosaminoglycan metabolism. J Nutr 115:352-358.

Bona MA, Castellano M, Plaza L, et al. 1992. Determination of heavy metals in human liver. Hum Exp Toxicol 11:311-313.

Bonilla E. 1978a. Flameless atomic absorption spectrophotometric determination of manganese in rat brain and other tissues. Clin Chem 24:471-474.

*Bonilla E. 1978b. Increased GABA content in caudate nucleus of rats after chronic manganese chloride administration. J Neurochem 31:551-552.

MANGANESE 408 8. REFERENCES

*Bonilla E, Prasad AL. 1984. Effects of chronic manganese intake on the levels of biogenic amines in rat brain regions. Neurobehav Toxicol Teratol 6:341-344.

*Borgstahl GEO, Parge HE, Hickey MJ, et al. 1992. The structure of human mitochondrial manganese superoxide dismutase reveals a novel tetrameric interface of two 4-helix bundles. Cell Press 71:107-118.

*Boshnakova E, Divanyan H, Zlatarov I, et al. 1989. Immunological screening of welders. J Hyg Epidemiol Microbiol Immunol 33:379-382.

*Bowler RM, Mergler D, Sassine M-P, et al. 1999. Neuropsychiatric effects of manganese on mood. Neurotoxicology 20:367-378.

Boyce W, Witzleben CL. 1973. Bilirubin as a cholestatic agent. II. Effect of variable doses of bilirubin on the severity of manganese-bilirubin cholestasis. Am J Pathol 72:427-432.

*Boyer PD, Shaw JH, Phillips PH. 1942. Studies on manganese deficiency in the rat. J Biol Chem 143: 417-425.

*Brenneman KA, Cattley RC, Ali SF, et al. 1999. Manganese-induced developmental neurotoxicity in the CD rat: Is oxidative damage a mechanism of action? Neurotoxicology 20:477-488.

Britton AA, Cotzias GC. 1966. Dependence of manganese turnover on intake. Am J Physiol 211:203-206.

*Brock AA, Chapman SA, Ulman EA, et al. 1994. Dietary manganese deficiency decreases rat hepatic arginase activity. J Nutr 124:340-344.

*Brocker ER and Schlatter C. 1979. Influence of some cations on the intestinal absorption of maneb. J Agric Food Chem 27:303-6.

Bronstein AC, Currance PL. 1988. Emergency care for hazardous materials exposure. St. Louis, MO: The C.V. Mosby Company, 191-192.

*Brouillet EP, Shinobu L, McGarvey U, et al. 1993. Manganese injection into the rat striatum produces excitotoxic lesions by impairing energy metabolism. Exp Neurol 120:89-94.

Brown DSO, Wills CE, Yousefi V, et al. 1991. Neurotoxic effects of chronic exposure to manganese dust. Neuropsychiatry Neuropsychol Behav Neurol 4(3):238-250.

Bruemmer GW, Gerth J, Herms U. 1986. Heavy metal species, mobility and availability in soils. Zeitschrift Fur Pflanzenernaehr Bodenk 149: 382-398.

*Brurok H, Schjott J, Berg K, et al. 1997. Manganese and the heart: acute cardiodepression and myocardial accumulation of manganese. Acta Physiol Scand 159:33-40.

Buchet JP, Lauwerys R, Roels H. 1976. Determination of manganese in blood and urine by flameless atomic absorption spectrophotometry. Clin Chim Acta 73:481-486.

MANGANESE 409 8. REFERENCES

- *Budavari S, ed. 1989. The Merck index: An encyclopedia of chemicals, drugs, and biologicals. Rahway, NJ: Merck & Co.
- *Burry JN. 1976. Contact dermatitis from agricultural fungicide in south Australia. Contact Dermatitis 6:348-349.
- *CA ARB 1999. Manganese additive content. California Air Resources Board. 26 CCR 13-2254.
- *Calabrese EJ, Barnes R, Stanek EJ, et al. 1989. How much soil do young children ingest: An epidemiologic study. Regul Toxicol Pharmacol 10:123-137.
- Calmano W, Ahlf W, Forstner U. 1988. Study of metal sorption/desorption processes on competing sediment components with a multichamber device. Environ Geol Water Sci 11: 77-84.
- *Calne DB, Chu NS, Huang CC, et al. 1994. Manganism and idiopathic parkinsonism: similarities and differences. Neurology 44:1583-1586.
- *Calumpang SMF, Medina MJB, Roxas NP, et al. 1993. Movement and degradation of mancozeb fungicide and its metabolites, ethylenethiourea and ethyleneurea, in silty clay loam soils. Int J Pest Management 39:161-166.
- *Camner P, Curstedt T, Jarstrand C, et al. 1985. Rabbit lung after inhalation of manganese chloride: A comparison with the effects of chlorides of nickel, cadmium, cobalt, and copper. Environ Res 38:301-309.
- *Campbell KI, George EL, Hall LL, et al. 1975. Dermal irritancy of metal compounds: Studies with palladium, platinum, lead, and manganese compounds. Arch Environ Health 30:168-70.
- *Carl GF, Blackwell LK, Barnett FC, et al. 1993. Manganese and epilepsy: Brain glutamine synthetase and liver arginase activities in genetically epilepsy prone and chronically seizured rats. Epilepsia 34:441-446.
- *Carl FG, Gallagher BB. 1994. Manganese and epilepsy. In: Klimis-Tavantzis DJ, ed. Manganese in health and disease. Boca Raton, FL: CRC Press, 133-144.
- Carson BL, Ellis HV, McCann JL. eds. 1987. Manganese. In: Toxicology and biological monitoring of metals in humans including feasibility and need. Chelsea, MI: Lewis Publishers, Inc., 145-149.
- *Carter JC, Miller WJ, Neathery MW, et al. 1974. Manganese metabolism with oral and intravenous ⁵⁴Mn in young calves as influenced by supplemental manganese. J Animal Sci 38:1284-1290.
- *Carter SD, Hein JF, Rehnberg GL, et al. 1980. Chronic manganese oxide ingestion in rats: Hematological effects. J Toxicol Environ Health 6:207-216.
- *Casto BC, Meyers J, DiPaolo JA. 1979. Enhancement of viral transformation for evaluation of the carcinogenic or mutagenic potential of inorganic metal salts. Cancer Res 39:193-198.
- Cawte J. 1985. Psychiatric sequelae of manganese exposure in the adult, foetal and neonatal nervous system. Aust NZ J Psychiatry 19:211-217.

*Cawte J. 1991. Letter to the Editor—Environmental manganese toxicity. Med J Austral 154:291-292.

*Cawte J, Hams G, Kilburn C. 1987. Manganism in a neurological ethnic complex in nothern Australia [Letter]. Lancet (May 30):1257.

*Cawte J, Kilburn C, Florence M. 1989. Motor neurone disease of the Western Pacific: Do the foci extend to Australia? Neurotoxicity 10:263-270.

*CDHS. 1990. Written communication regarding levels of manganese found in private wells. Hartford, CT: Connecticut Department of Health Services. (March 29).

CEH. 1980. Manganese-salient statistics. In: Chemical economics handbook. Menlo Park, CA: SRI International.

*Chan AW, Minski MJ, Lim L, et al. 1992. Changes in brain regional manganese and magnesium levels during postnatal development: Modulations by chronic manganese administration. Metab Brain Dis 7:21-33.

Chan WY, Bates JM Jr, Rennert OM, et al. 1984. Intestinal transport of manganese from human milk, bovine milk and infant formula in rats. Life Sci 35:2415-2419.

Chandra SV. 1972. Histological and histochemical changes in experimental manganese encephalopathy in rabbits. Arch Toxicol 29:29-38.

*Chandra SV. 1983. Psychiatric illness due to manganese poisoning. Acta Psychiatr Scand 67 (Suppl 303):49-54.

*Chandra SV, Imam Z. 1973. Manganese induced histochemical and histological alterations in gastrointestinal mucosa of guinea pigs. Acta Pharmacol Toxicol 33:449-458.

*Chandra SV, Shukla GS. 1978. Manganese encephalopathy in growing rats. Environ Res 15:28-37.

*Chandra SV, Tandon SK. 1973. Enhanced manganese toxicity in iron-deficient rats. Environ Physiol Biochem 3:230-235.

*Chandra SV, Ara R, Nagar N, et al. 1973. Sterility in experimental manganese toxicity. Acta Biol Med Ger 30:857-862.

*Chandra SV, Saxena DK, Hasan MZ. 1975. Effect of zinc on manganese induced testicular injury in rats. Ind Health 13:51-56.

Chandra SV, Shukla GS, Srivastava RS. 1981. An exploratory study of manganese exposure to welders. Clin Toxicol 18:407-416.

*Chernoff N, Kavlock RJ, Rogers EH, et al. 1979. Perinatal toxicity of maneb, ethylene thiourea, and ethylenebisisothiocyanate sulfide in rodents. J Toxicol Environ Health 5:821-34.

*Chia SE, Foo SC, Gan SL, et al. 1993. Neurobehavioral functions among workers exposed to manganese ore. Scand J Work Environ Health 19:264-270.

*Chia SE, Gan SL, Chua LH, et al. 1995. Postural stability among manganese exposed workers. Neurotoxicology 16:519-526.

Chia SE, Phoon WH, Lee HS, et al. 1993. Exposure to neurotoxic metals among workers in Singapore: An overview. Occup Med 43:18-22.

*Chowdhury BA, Chandra RK. 1987. Biological and health implications of toxic heavy metal and essential trace element interactions. Prog Food Nutr Sci 11:55-113.

*Chu NS, Hochberg FH, Calne DB, et al. 1995. Neurotoxicity of manganese. In: Chang L, Dyyer R, eds. Handbook of neurotoxicology. New York, NY: Marcel Dekker, Inc., 91-103.

Cikrt M, Bencko V. 1975. Biliary excretion of ⁷Be and its distribution after intravenous administration of ⁷BeCl₂ in rats. Arch Toxicol 34:53-60.

*Clay RJ, Morris JB. 1989. Comparative pneumotoxicity of cyclopentadienyl manganese tricarbonyl and methylcyclopentadienyl manganese tricarbonyl. Toxicol Appl Pharmacol 98:434-443.

Clegg MS, Lönnerdal B, Hurley LS, et al. 1986. Analysis of whole blood manganese by flameless atomic absorption spectrophotometry and its use as an indicator of manganese status in animals. Anal Biochem 157:12-18.

*Clewell HJ, III, Andersen ME. 1985. Risk assessment extrapolations and physiological modeling. Toxicol Ind Health 1:111-113.

Coe M, Cruz R, Van Loon JC. 1980. Determination of methylcyclopentadienyl manganese-tricarbonyl by gas chromatography-atomic absorption spectrometry at ng m⁻³ levels in air samples. Anal Chim Acta 120:171-176.

Cohen G. 1984. Oxy-radical in catecholamine neurons. Neurotoxicology 5:77-82.

Cohen JM, Kamphake LJ, Harris EK, et al. 1960. Taste threshold concentrations of metals in drinking water. J Am Water Works Assoc (May 1960):660-670.

*Collipp PJ, Chen SY, Maitinsky S. 1983. Manganese in infant formulas and learning disability. Ann Nutr Metab 27:488-494.

*Colomina MT, Domingo JL, Llobet JM, et al. 1996. Effect of day of exposure on the developmental toxicity of manganese in mice. Vet Hum Toxicol 38:7-9.

*Cook KK. 1997. Extension of dry ash atomic absorption and spectrophotometric methods to determination of minerals and phosphorus in soy-based, whey-based, and enteral formulae (Modification of AOAC official methods 985.35 and 986.24): Collaborative study. J AOAC Int 80:834-844.

*Cook DG, Fahn S, Brait KA. 1974. Chronic manganese intoxication. Arch Neurol 30:59-64.

MANGANESE 412 8. REFERENCES

- Cooper R, Stranks DR. 1966. Vapor pressure measurements. In: Jonassen HB, Weissberg A, eds. Technique of inorganic chemistry. Vol. VI. New York, NY: John Wiley and Sons, 1-82.
- *Cooper RM, Istok JD. 1988. Geostatistics applied to groundwater contamination. II: Application. J Environ Eng 114:287-299.
- *Cooper WC. 1984. The health implications of increased manganese in the environment resulting from the combustion of fuel additives: A review of the literature. J Toxicol Environ Health 14:23-46.
- *Cotton FA, Wilkinson G. 1972. Manganese. In: Advanced inorganic chemistry, New York, N.Y. Interscience Publisher. pp. 845-855.
- *Cotzias GC. 1958. Manganese in health and disease. Physiol Rev 38:503-533.
- *Cotzias GC, Horiuchi K, Fuenzalida S, et al. 1968. Chronic manganese poisoning: Clearance of tissue manganese concentrations with persistence of the neurological picture. Neurology 18:376-382.
- *Cotzias GC, Miller ST, Papavasiliou PS, et al. 1976. Interactions between manganese and brain dopamine. Med Clin North Am 60:729-738.
- *Cox DN, Traiger GJ, Jacober SP, et al. 1987. Comparison of the toxicity of methylcyclopentadienyl manganese tricarbonyl with that of its two major metabolites. Toxicol Lett 39:1-5.
- *Crippa M, Misquith L, Lonati A, et al. 1990. Dyshidrotic eczema and sensitization to dithiocarbamates in a florist. Contact Dermatitis 23:203-204.
- *Critchfield JW, Carl GF, Keen CL. 1993. The influence of manganese supplementation on seizure onset and severity, brain monoamines in the genetically epilepsy prone rat. Epilepsy Res. 14:3-10.
- Critchfield JW, Keen CL. 1992. Manganese +2 exhibits dynamic binding to multiple ligands in human plasma. Metabolism 41:1087-1092.
- *Crump KS and Rousseau P. 1999. Results from eleven years of neurological health surveillance at a manganese oxide and salt producing plant. Neurotoxicology 20:273-286.
- *CT DEP 1999. Hazardous limiting values for hazardous air pollutants. Connecticut Department of Environmental Protection, Bureau of Air Management. Reg. 22a-174-29.
- *Curtin D, Ryan J, Chaudhary RA. 1980. Manganese adsorption and desorption in calcareous Lebanese soils. Soil Sci Soc Am J 44:947-950.
- Daniels AI, Everson GJ. 1935. The relation of manganese to congenital debility. J Nutr 9:191-203.
- *Daniels AJ, Abarca J. 1991. Effect of intranigral Mn₂⁺ on striatal and nigral synthesis and levels of dopamine and cofactor. Neurotoxicol Teratol 13:483-487.
- Dastur DK, Manghani DK, Raghavendran KV, et al. 1969. Distribution and fate of Mn⁵⁴ in the rat, with special reference to the C.N.S. Q J Exp Physiol 54:322-331.

MANGANESE 413 8. REFERENCES

- *Dastur DK, Manghani DK, Raghavendran KV. 1971. Distribution and fate of ⁵⁴Mn in the monkey: Studies of different parts of the central nervous system and other organs. J Clin Invest 50:9-20.
- *Davidson LA, Lönnerdal B. 1989. Fe-saturation and proteolysis of human lactoferrin: Effect on brush-border receptor-mediated uptake of Fe and Mn. Am J Physiol 257(6Pt1):G930-934.
- *Davidsson L, Cederblad A, Hagebo E, et al. 1988. Intrinsic and extrinsic labeling for studies of manganese absorption in humans. J Nutr 118:1517-1524.
- *Davidsson L, Cederblad A, Lönnerdal B, et al. 1989a. Manganese retention in man: A method for estimating manganese absorption in man. Am J Clin Nutr 49:170-179.
- Davidsson L, Cederblad A, Lönnerdal B, et al. 1989b. Manganese absorption from human milk, cow's milk, and infant formulas in humans. Am J Dis Child 143:823-827.
- *Davis CD, Greger JL. 1992. Longitudinal changes of manganese-dependent superoxide dismutase and other indices of manganese and iron status in women. Am J Clin Nutr 55:747-752.
- *Davis CD, Malecki EA, Greger JL. 1992a. Interactions among dietary manganese, heme iron and non-heme iron in women. Am J Clin Nutr 56:926-932.
- *Davis CD, Ney DM, Greger JL. 1990. Manganese, iron and lipid interactions in rats. J Nutr 120:507-513.
- *Davis CD, Wolf TL, Greger JL. 1992b. Varying levels of manganese and iron affect absorption and gut endogenous losses of manganese by rats. J Nutr 122:1300-1308.
- *Davis CD, Zech L, Greger JL. 1993. Manganese metabolism in rats: An improved methodology for assessing gut endogenous losses. Proc Soc Exp Biol Med 202:103-108.
- *Davis DW, Hsiao K, Ingels R, et al. 1988. Origins of manganese in air particulates in California. J Air Pollut Control Assoc 38:1152-1157.
- *Davis JM, Jarabek AM, Mage DT, et al. 1998. The EPA health risk assessment of methylcyclopentadienyl manganese tricarbonyl (MMT). Risk Analysis 18:57-70.
- *Davis JM. 1999. Inhalation health risks of manganese: An EPA perspective. Neurotoxicology 20:511-518.
- Davison RL, Natusch DFS, Wallace JR, et al. 1974. Trace elements in fly ash: Dependence of concentration on particle size. Environ Sci Technol 8:1107-1113.
- *de Carvalho E, Faria V, Loureiro A, et al. 1989. Acute renal failure and nephrotic syndrome after maneb exposure: A new case with light and electron microscopic study. Acta Med Port 1989 2:215-8.
- De Lamirande E, Plaa GL. 1978. Role of manganese, bilirubin and sulfobromophthalein in manganese-bilirubin cholestasis in rats (40189). Proc Soc Exp Biol Med 158:283-287.

MANGANESE 414 8. REFERENCES

- De Lamirande E, Tuchweber B, Plaa GL. 1982. Morphological aspects of manganese-bilirubin induced cholestasis. Liver 2:22-27.
- *De Méo M, Laget M, Castegnaro M, et al. 1991. Genotoxic activity of potassium permanganate in acidic solutions. Mutat Res 260:295-306.
- *Deskin R, Bursian SJ, and Edens FW. 1981. The effect of chronic manganese administration on some neurochemical and physiological variables in neonatal rats. Gen Pharmacol 12:279-280.
- *Deskin R, Bursian SJ, Edens FW. 1980. Neurochemical alterations induced by manganese chloride in neonatal rats. Neurotoxicology 2:65-73.
- *Desole MS, Miele M, Esposito G, et al. 1994. Dopaminergic system activity and cellular defense mechanisms in the striatum and striatal synaptosomes of the rat subchronically exposed to manganese. Arch Toxicol 68:566-570.
- *Desole MS, Esposito G, Migheli R, et al. 1995. Allopurinol protects against manganese-induced oxidative stress in the striatum and in the brainstem of the rat. Neurosci Lett 192:73-76.
- *Devenyi AG, Barron TF, Mamourian AC. 1994. Dystonia, hyperintense basal ganglia, and whole blood manganese levels in Alagille's syndrome. Gastroenterology 106:1068-1071.
- *Deverel SJ, Millard SP. 1988. Distribution and mobility of selenium and other trace elements in shallow groundwater of the western San Joaquin Valley, California. Environ Sci Technol 22:697-702.
- *Dieter HH, Rotard W, Simon J, et al. 1992. Manganese in natural mineral waters from Germany. Die Nahrung 5:488-484.
- *Diez-Ewald M, Weintraub LR, Crosby WH. 1968. Interrelationship of iron and manganese metabolism. Proc Soc Exp Biol Med 129:448-451.
- *Dikshith TS, Chandra SV. 1978. Cytological studies in albino rats after oral administration of manganese chloride. Bull Environ Contam Toxicol 19:741-746.
- *Doisy EA. 1973. Effects of deficiency in manganese upon plasma levels of clotting proteins and cholesterol in man. Trace Element Metabolism. In: Animals-2, 2nd ed., (WG Hoekstra, JW Suttie, AE Ganther, W. Mertz, eds.) University Park Press, Baltimore, pp. 668-670.
- DOJ. 1990. Chemical handler's manual. An informational outline of Chemical Division & Trafficking Act of 1988. Washington, DC: U.S. Department of Justice, Drug Enforcement Administration.
- Donaldson J. 1984. Involvement of manganese in physiological and biochemical processes: An overview. Neurotoxicology 5:1-3.
- *Donaldson J. 1987. The physiopathologic significance of manganese in brain: Its relation to schizophrenia and neurodegenerative disorders. Neurotoxicology 8:451-462.
- Donaldson J, LaBella FS. 1984. The effects of manganese on the cholinergic receptor *in vivo* and *in vitro* may be mediated through modulation of free radicals. Neurotoxicology 5:105-112.

MANGANESE 415 8. REFERENCES

- Donaldson J, LaBella FS, Gesser D. 1980. Enhanced autoxidation of dopamine as a possible basis of manganese neurotoxicity. Neurotoxicity 2:53-64.
- Donaldson J, McGregor D, LaBella F. 1982. Manganese neurotoxicity: A model for free radical mediated neurodegeneration? Can J Physiol Pharmacol 60:1398-1405.
- *Dorman DC, Struve MF, Vitarella D, et al. 2000. Neurotoxicity of manganese chloride in neonatal and adult CD rats following subchronic (21-day) high-dose oral exposure. J Appl Tox 20:000-000.
- *Dorner K, Dziadzka S, Hohn A, et al. 1989. Longitudinal manganese and copper balances in young infants and preterm infants fed on breast-milk and adapted cow's milk formulas. Br J Nutr 61:559-572.
- *Drown DB, Oberg SG, Sharma RP. 1986. Pulmonary clearance of soluble and insoluble forms of manganese. J Toxicol Environ Health 17:201-212.
- *DuPuis MD and Hill HH Jr. 1979. Analysis of gasoline for antiknock agents with a hydrogen atmosphere flame ionization detector. Anal Chem 51:292-295.
- *Dupuis Y, Porembska Z, Tardivel S, et al. 1992. Intestinal transfer of manganese: Resemblance to and competition with calcium. Reprod Nutr Dev 32:453-460.
- *Durfor CN, Becker E. 1964. Public water supplies of the 100 largest cities in the United States, 1962. Geological survey. Water-supply paper 1812. Washington, DC: United States Department of the Interior.
- *Earls JP and Blumke DA. 1999. New MR imaging contrast agents. New Techniques in Body MR Imaging 7:255-273.
- *Eckel WP, Langley WD. 1988. A background-based ranking technique for assessment of elemental enrichment in soils at hazardous waste sites. In: Superfund '88: Proceedings of the 9th National Conference. Washington, DC, 282-286.
- Egeberg PK, Schaanning M, Naes K, et al. 1988. Modelling the manganese cycling in two stratified fjords. Marine Chemistry 23:383-391.
- *Egyed M, Wood GC. 1996. Risk assessment for combustion products of the gasoline additive MMT in Canada. Sci Total Environ 189/190:11-20.
- *Eisenreich SJ, Looney BB, Thonton JD. 1981. Airborne organic contaminants in the Great Lakes ecosystem. Environ Sci Technol 15:30-38.
- *Ejima A, Imamura T, Nakamura S, et al. 1992. Manganese intoxication during total parenteral nutrition [letter]. Lancet 339:426.
- *El-Deiry WS, Downey KM, So AG. 1984. Molecular mechanisms of manganese mutagenesis. Proc Natl Acad Sci USA 81:7378-7382.
- *Elias Z, Mur JM, Pierre F, et al. 1989. Chromosome aberrations in peripheral blood lymphocytes of welders and characterization of their exposure by biological samples analysis. J Occup Med 31:477-483.

MANGANESE 416 8. REFERENCES

- *Elizondo G, Fretz CJ, Stark DD, et al. 1991. Preclinical evaluation of MnDPDP: New paramagnetic hepatobiliary contrast agent for MR imaging. Radiology 178:73-78.
- *Ellenhorn MJ, Barceloux DG. 1988. Medical toxicology: Diagnosis and treatment of human poisoning. New York, NY: Elsevier, 1047-1048.
- *Emara AM, El-Ghawabi SH, Madkour OI, et al. 1971. Chronic manganese poisoning in the dry battery industry. Br J Ind Med 28:78-82.
- *Ensing JG. 1985. Bazooka: Cocaine-base and manganese carbonate. J Anal Toxicol 9:45-46.
- *EPA. 1977. Inhalation toxicology of airborne particulate manganese in rhesus monkeys. Report to U.S. Environmental Protection Agency, Office of Research and Development, Research Triangle Park, NC, by Albany Medical College, Institute of Comparative and Human Toxicology, Holloman Air Force Base, NM. EPA-600/1-77-026. NTIS No. PB-268643.
- *EPA. 1978. U.S. Environmental Protection Agency. Federal Register 43:41424-41429.
- *EPA. 1979. U.S. Environmental Protection Agency. Federal Register 44:58952-58965.
- *EPA. 1979b. Sources of toxic pollutants found in influents to sewage treatment plants. VI. Integrated interpresentation. Washington, DC: U.S. Environmental Protection Agency, Office of Water Planning and Standards. EPA 440/4-008. NTIS No. PB81-219685.
- EPA. 1980. Chemical contaminants in nonoccupationally exposed U.S. residents. Report to U.S. Environmental Protection Agency, Office of Research and Development, Research Triangle Park, NC, by Oak Ridge National Laboratory, Oak Ridge, TN. EPA-600/1-80-001.
- *EPA. 1981. U.S. Environmental Protection Agency. Federal Register 46:58360.
- *EPA. 1982. Inductively coupled plasma-atomic emission spectrometric method for trace element analysis of water and wastes—method 200.7. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development.
- EPA. 1983a. Manganese: Atomic-absorption, direct aspiration—method 243.1. In: Methods for chemical analysis of water and wastes. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development. EPA-600/4-79-020.
- EPA. 1983b. Manganese: Atomic absorption, furnace technique—method 243.2. In: Methods for chemical analysis of water and wastes. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development. EPA-600/4-79-020.
- *EPA. 1983c. Human exposure to atmospheric concentrations of selected chemicals. Vol. II. Report to U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards, Research Triangle Park, NC, by Systems Applications, Incorporated, San Rafael, CA. NTIS No. PB83-265249.
- *EPA. 1984a. Health assessment document for manganese. Final draft. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development. EPA-600/8-83-013F.

- EPA. 1984b. Health effects assessment for manganese (and compounds). Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development. EPA/540/1-86/057.
- EPA. 1984c. Nonindustrial sources of potentially toxic substances and their applicability to source apportionment methods. Report to U.S. Environmental Protection Agency, Research Triangle Park, NC, by Engineering-Science, Inc., Durham, NC. EPA-450/4-84-003. NTIS No. PB84-231232.
- EPA. 1985a. Chemical identity—manganese, tricarbonyl methylcyclopentadienyl. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Toxic Substances.
- EPA. 1985b. Chemical, physical and biological properties of compounds present at hazardous waste sites. Report to U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response, Washington, DC, by Clement Associates, Inc., Arlington, VA.
- *EPA. 1985c. Locating and emitting air emissions from sources of manganese. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards. EPA-450/4-84-007h.
- *EPA. 1985d. U.S. Environmental Protection Agency. Federal Register 50:32627-32628.
- *EPA. 1986a. Acid digestion of sediments, sludges, and soils—method 3050. In: Test methods for evaluating solid waste. 3rd ed. SW-846. Washington, DC: U. S. Environmental Protection Agency, Office of Solid Waste and Emergency Response.
- *EPA. 1986b. Inductively coupled plasma atomic emission spectroscopy—method 6010. In: Test methods for evaluating solid waste. 3rd ed. SW-846. Washington, DC: U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response.
- *EPA. 1986c. Manganese (atomic absorption, direct aspiration)—method 7460. In: Test methods for evaluating solid waste. 3rd ed. SW-846. Washington, DC: U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response.
- *EPA 1986d. Air quality criteria for lead. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Research and Development, Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office. EPA 600/83-3-028F [retrieval in progress].
- *EPA. 1987a. Toxic air pollutant/source crosswalk: A screening tool for locating possible sources emitting toxic air pollutants. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards. EPA-450/4-87-023a.
- EPA. 1987b. U.S. Environmental Protection Agency: Part II. Federal Register 52:13400.
- *EPA. 1988a. U.S. Environmental Protection Agency: Part II. Federal Register 53:4500-4501.
- EPA. 1988b. Reportable quantity document for tricarbonylmethylcyclopentadienyl manganese. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response. ECAO-CIN-R566.

MANGANESE 418 8. REFERENCES

- EPA. 1988c. Reference dose (RfD): Description and use in health risk assessments. Vol. I. Appendix A: Integrated risk information system supportive documentation. Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment. EPA/600/8-86/032a.
- *EPA. 1988d. Recommendations for and documentation of biological values for use in risk assessment. Environmental Criteria and Assessment Office, Office of Health and Environmental Assessment, Office of Research and Development, U.S. Environmental Protection Agency. EPA 600/6-87/008. NTIS PB88179874.
- EPA. 1989a. Interim methods for development of inhalation reference doses. Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment. EPA 600/8-88/066F.
- EPA. 1989b. The toxics-release inventory: A national perspective. Washington, DC: U.S. Environmental Protection Agency, Office of Toxic Substances. EPA 560/4-89-005.
- *EPA. 1989c. U.S. Environmental Protection Agency: Part II. Federal Register 54:35988.
- *EPA. 1989d. U.S. Environmental Protection Agency. Part V. Federal Register 54:33418, 33464.
- *EPA. 1990. Interim methods for development of inhalation reference doses. U.S. Environmental Protection Agency. EPA-600/8-90/066A.
- EPA. 1993a. US Environmental Protection Agency. Code of Federal Regulations. 40 CFR 302.4.
- *EPA. 1993b. Drinking water criteria document for manganese. Environmental Protection Agency, Office of Health and Environmental Assessment, Cincinnati, OH.
- *EPA. 1994. Reevaluation of inhalation health risks associated with methylcyclopentadienyl manganese tricarbonyl (MMT) in gasoline. U.S. Environmental Protection Agency, Office of Research and Development. EPA 600/R-94/062.
- *EPA. 1995a. U.S. Environmental Protection Agency. Federal Register 60:36414.
- *EPA. 1995b. Proceedings: Workshop on the Bioavailability and Oral Toxicity of Manganese. Environmental Criteria and Assessment Office, Office of Research and Development, Office of Science and Technology, Office of Water, U.S. Environmental Protection Agency. Washington D.C.
- *EPA. 1997. Support: Letter from [] to USEPA regarding acute oral toxicity (LD $_{50}$) in rats with a mixture of cymoxanil and mancozeb, dated 05/08/97 (Sanitized). EPA/OTS #89970000155s.
- *EPA. 1998a. Designation of hazardous substances. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 302.4.
- *EPA. 1998b. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 355. Appendix A to Part 355: The list of extremely hazardous substances and their threshold planning quantities.
- *EPA. 1998c. Toxic chemical release reporting: community right-to-know. Chemicals and chemical categories to which this part applies. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 372.65.

MANGANESE 419 8. REFERENCES

- *EPA. 1998d. Drinking water regulations and health advisories. Environmental Protection Agency, Office of Water.
- *EPA. 1999a. Interim tolerances. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 180.319.
- *EPA. 1999b. Mancozeb; tolerances for residues. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 180.176.
- *EPA. 1999c. Maneb; tolerances for residues. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 180.110.
- *EPA. 1999d. Tolerances for related pesticide chemicals. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 180.3.
- *EPA. 1999e. Toxic chemical release reporting: community right-to-know. Chemicals and chemical categories to which this part applies. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 372.65.
- *Eriksson H, Gillberg PG, Aquilonius SM, et al. 1992. Receptor alterations in manganese intoxicated monkeys. Arch Toxicol 66:359-364.
- *Eriksson H, Lenngren S, Heilbronn E. 1987a. Effect of long-term administration of manganese on biogenic amine levels in discrete striatal regions of rat brain. Arch Toxicol 59:426-431.
- *Eriksson H, Magiste K, Plantin LO, et al. 1987b. Effects of manganese oxide on monkeys as revealed by a combined neurochemical, histological and neurophysiological evaluation. Arch Toxicol 61:46-52.
- *Eriksson H, Tedroff J, Thuomas KA, et al. 1992. Manganese induced brain lesions in Macaca fascicularis as revealed by positron emission tomography and magnetic resonance imaging. Arch Toxicol 66:403-407.
- *Evans LJ. 1989. Chemistry of metal retention by soils: Several processes are explained. Environ Sci Technol 23:1048-1056.
- *Exon JH and Koller LD. 1975. Effects of feeding manganese antiknock gasoline additive exhaust residues (Mn_3O_4) in rats. Bull Environ Contam Toxicol 14:370-373.
- FDA. 1993. U.S. Food and Drug Administration. Code of Federal Regulations. 21 CFR 103.35.
- Fechter LD. 1999. Distribution of manganese in development. Neurotoxicology 20:197-201.
- Fee JA, Shapiro ER, Moss, TH. 1976. Direct evidence for manganese (III) binding to the manganosuperoxide dismutase of *Escherichia coli B*. J Biol Chem 251:6157-6159.
- Feldman RG. 1992. Manganese as possible ecoetiologic factor in Parkinson's disease. Ann NY Acad Sci 648:266-267.

MANGANESE 420 8. REFERENCES

*Fell JM, Reynolds AP, Meadows N, et al. 1996. Manganese toxicity in children receiving long-term parenteral nutrition. Lancet 347:1218-1221 [Retrieval in progress].

*Fernandez MA, Martinez L, Segarra M, et al. 1992. Behavior of heavy metals in the combustion gases of urban waste incinerators. Environ Sci Technol 26:1040-1047.

*Ferraz HB, Bertolucci PH, Pereira JS, et al. 1988. Chronic exposure to the fungicide maneb may produce symptoms and signs of CNS manganese intoxication. Neurology 38:550-3.

Finkelstein MM, Boulard M, Wilk N. 1991. Increased risk of lung cancer in the melting department of a second Ontario steel manufacturer. Am J Ind Med 19:183-194.

*Finley JW, Caton JS, Zhou Z, et al. 1997. A surgical model for determination of true adsorption and biliary excretion of manganese in conscious swine fed commercial diets. J Nutr 127:2334-2341.

Fishman BE, McGinley PA, Gianutsos G. 1987. Neurotoxic effects of methylcyclopentadienyl manganese tricarbonyl (MMT) in the mouse: Basis of MMT-induced seizure activity. Toxicology 45:193-201.

*Fisher AA. 1983. Occupational dermatitis from pesticides: Patch testing procedures. Current Contact News 31:483-508.

Flaten TP, Bolviken B. 1991. Geographical associations between drinking water chemistry and the mortality and morbidity of cancer and some other diseases in Norway. Sci Total Environ 102:75-100.

Florence TM, Stauber JL. 1988. Neurotoxicology of manganese [Letter]. Lancet 1:363.

*Folsom TR, Young DR, Johnson JN, et al. 1963. Manganese-54 and zinc-65 in coastal organisms of California. Nature 200:327-329.

*Foman SJ. 1966. Body composition of the infant. Part I: The male reference infant. Falkner F, ed. Human development. Philadelphia, PA: WB Saunders, 239-246.

*Foman SJ, Haschke F, Ziegler EE, Nelson SE. 1982. Body composition of reference children from birth to age 10 years. Am J Clin Nutr 35:1169-1175.

*Forbes GM, Forbes A. 1997. Micronutrient status in patients receiving home parenteral nutrition. Nutrition 13:941-944.

*Fore H, Morton RA. 1952. Manganese in rabbit tissues. Biochem J 51:600-603.

*Francis AJ. 1985. Anaerobic microbial dissolution of toxic metals in subsurface environments. Upton, NY: Brookhaven National Laboratory. BNL-36571.

*Francis CW, White GH. 1987. Leaching of toxic metals from incinerator ashes. J Water Pollut Control Fed 59:979-986.

MANGANESE 421 8. REFERENCES

- *Freeland-Graves J. 1994. Derivation of manganese estimated safe and adequate daily dietary intakes. In: Mertz W, Abernathy CO, Olin SS, eds. Risk Assessment of essential elements. Washington, DC: International Life Sciences Institute Press.
- *Freitag D, Ballhorn L, Geyer H, et al. 1985. Environmental hazard profile of organic chemicals: An experimental method for the assessment of the behaviour of organic chemicals in the ecosphere by means of simple laboratory tests with ¹⁴C labelled chemicals. Chemosphere 14:1589-1616.
- *Fridovich I. 1974. Superoxide dismutases. Adv Enzymol 41:35-97.
- *Friedman BJ, Freeland-Graves JH, Bales CW, et al. 1987. Manganese balance and clinical observations in young men fed a manganese-deficient diet. J Nutr 117:133-143.
- FSTRAC. 1990. Summary of state and federal drinking water standards and guidelines. Washington, DC: Federal-State Toxicology and Regulatory Alliance Committee, Chemical Communication Subcommittee.
- *Furst A. 1978. Tumorigenic effect of an organomanganese compound on F344 rats and Swiss albino mice. [Brief communication] J Natl Cancer Inst 60:1171-1173.
- *Gaind VS, Vohra K, Chai F. 1992. Determination of tricarbonyl(2-methylcyclopentadienyl) manganese in gasoline and air by gas chromatography with electron-capture detection. Analyst 117:161-164.
- *Gallez B, Baudelet C, Adline J, et al. 1997. Accumulation of manganese in the brain of mice after intravenous injection of manganese-based contrast agents. Chem Res Toxicol 10:360-363.
- *Galloway SM, Armstrong MJ, Reuben C, et al. (1987). Chromo-some aberrations and sister chromatid exchanges in Chinese hamster ovary cells: Evaluations of 108 chemicals. Environ Mol Mutagen 1 (Suppl. 10):1-175.
- *Garcia-Aranda JA, Lifshitz F, Wapnir RA. 1984. Intestinal absorption of manganese in experimental malnutrition. J Pediatr Gastroenterol Nutr 3:602-607.
- *Garcia-Aranda JA, Wapnir RA, Lifshitz F. 1983. *In vivo* intestinal absorption of manganese in the rat. J Nutr 113:2601-2607.
- Garner CD, Nachtman JP. 1989a. Manganese catalyzed auto-oxidation of dopamine to 6-hydroxydopamine *in vitro* [published erratum appears in Chem Biol Interact 1989;71:309]. Chem Biol Interact 69:345-351.
- *Garner CD, Nachtman JP. 1989b. Manganese catalyzed auto-oxidation of dopamine to 6-hydroxydopamine *in vitro*. Chem Biol Interact 69:345-351.
- *Garrison AW, Cipollone MG, Wolfe NL, et al. 1995. Environmental fate of methylcyclopentadienyl manganese tricarbonyl. Environ Toxicol Chem 14:1859-1864.
- Garruto RM, Shankar SK, Yanagihara R, et al. 1989. Low-calcium, high-aluminum diet-induced motor neuron pathology in cynomolgus monkeys. Acta Neuropathol 78:210-219.

MANGANESE 422 8. REFERENCES

- *Gavin CE, Gunter KK, Gunter TE. 1990. Manganese and calcium efflux kinetics in brain mitochondria. Relevance to manganese toxicity. Biochem J 266:329-334.
- *Gavin CE, Gunter KK, Gunter TE. 1992. Mn²⁺ sequestration by mitochondria and inhibition of oxidative phosphorylation. Toxicol Appl Pharmacol 115:1-5.
- *Gavin CE, Gunter KK, Gunter TE. 1999. Manganese and calcium transport in mitochondria: Implications for manganese toxicity. Neurotoxicology 20:445-454.
- *Geering HR, Hodgson JF, Sdano C. 1969. Micronutrient cation complexes in soil solution: IV. The chemical state of manganese in soil solution. Soil Sci Soc Amer Proc 33:81-85.
- *Gennart JP, Buchet JP, Roels H, et al. 1992. Fertility of male workers exposed to cadmium, lead, or manganese. Am J Epidemiol 135:1208-1219.
- *Georgian L, Moraru I, Draghicescu T, et al. 1983. Cytogenetic effects of alachlor and mancozeb. Mutat Res 116:341-8.
- Gerdin B, McCann E, Lundberg C, et al. 1985. Selective tissue accumulation of manganese and its effect on regional blood flow and hemodynamics after intravenous infusion of its chloride salt in the rat. Int J Tissue React 7:373-380.
- *Gianutsos G, Murray MT. 1982. Alterations in brain dopamine and GABA following inorganic or organic manganese administration. Neurotoxicology 3:75-81.
- *Gianutsos G, Seltzer MD, Saymeh R, et al. 1985. Brain manganese accumulation following systemic administration of different forms. Arch Toxicol 57:272-275.
- *Gibbons RA, Dixon SN, Hallis K, et al. 1976. Manganese metabolism in cows and goats. Biochim Biophys Acta 444:1-10.
- *Gibson RS. 1994. Content and bioavailability of trace elements in vegetarian diets. Am J Clin Nutr 59:1223s-1232s.
- *Gibbs JP, Crump KS, Houck DP, et al. 1999. Focused medical surveillance: A search for subclinical movement disorders in a cohort of U.S. workers exposed to low levels of manganese dust. Neurotoxicology 20:299-314.
- Gilmore DA Jr, Bronstein AC. 1992. Manganese and magnesium. In: Sullivan JB, Jr, Drieger GR, eds. Hazardous materials toxicology, clinical principles of environmental health. Baltimore, MD: Williams and Wilkins, 896-902.
- *Glass E. 1955. Untersuchungen über die einwirkung von schwermetallsalzen auf dir wurzelspitzenmitose von Vicia faba. Zeitschrift für Botanik 43:359-403.
- *Glass E. 1956. Untersuchungen über die einwirkung von schwermetallsalzen auf dir wurzelspitzenmitose von Vicia faba. Zeitschrift für Botanik 44:1-58.

*Goering PL, Klaassen CD. 1985. Mechanism of manganese-induced tolerance to cadmium lethality and hepatotoxicity. Biochem Pharmacol 34:1371-1379.

*Goldsmith J, Herishanu Y, Abarbanel J, et al. 1990. Clustering of Parkinson's disease points to environmental etiology. Arch Env Health 45:88-94.

Goodson PA, Glerup J, Hodgson DJ, Michelsen K, Weihe H. 1991. Syntheses and characterization of binuclear manganese (III, IV) and (IV, IV) complexes with ligands related to N,N'-bis(2-pyridylmethyl)-1,2-ethanediamine. Inorg Chem 30:4909-14.

Goodson PA, Hodgson DJ, Glerup J, et al. 1992. Syntheses and characterization of binuclear manganese (III, IV) and (IV, IV) complexes with 1,4,7,10-tetraazacyclododecane (cyclen). Inorg Chim Acta 197:141-147.

Gordon CJ, Fogelson L, Highfill JW. 1990. Hypothermia and hypometabolism: Sensitive indices of whole-body toxicity following exposure to metallic salts in the mouse. J Toxicol Environ Health 29:185-200.

*Gorell JM, Johnson CC, Rybicki BA, et al. 1999. Occupational exposure to manganese, copper, lead, iron, mercury, and zinc and the risk of Parkinson's Disease. Neurotoxicology 20:239-248.

Gosselin RE, Smith RP, Hodge HC, et al. 1984. Clinical toxicology of commercial products. 5th ed. Baltimore, MD: Williams and Wilkins, II-144-II-145.

*Gottschalk LA, Rebello T, Buchsbaum MS, et al. 1991. Abnormalities in hair trace elements as indicators of aberrant behavior. Compr Psychiatry 32:229-237.

*Graedel TE. 1978. Inorganic elements, hydrides, oxides, and carbonates. In: Chemical compounds in the atmosphere. New York, NY: Academic Press, 35-41, 44-49.

*Graham DG. 1984. Catecholamine toxicity: A proposal for the molecular pathogenesis of manganese neurotoxicity and Parkinson's disease. Neurotoxicology 5:83-95.

*Grant D, Blazak WF, Brown GL. 1997. The reproductive toxicology of intravenously administered MnDPDP in the rat and rabbit. Acta Radiol 38:759-769.

*Gray LE, Laskey JW. 1980. Multivariate analysis of the effects of manganese on the reproductive physiology and behavior of the male house mouse. J Toxicol Environ Health 6:861-867.

*Greger JL, Davis CD, Suttie JW, Lyle BJ. 1990. Intake, serum concentrations and urinary excretion of manganese by adult males. Am J Clin Nutr 54:457-461.

*Greger JL. 1998. Dietary standards for manganese: overlap between nutritional and toxicological studies. J Nutr 128(2 Suppl):368S-371S.

*Greger JL. 1999. Nutrition versus toxicology of manganese in humans: evaluation of potential biomarkers. Neurotoxicology 20:205-212.

MANGANESE 424 8. REFERENCES

- *Gruden N, Matausic S. 1989. Some factors influencing cadmium-manganese interaction in adult rats. Bull Environ Contam Toxicol 43:101-106.
- *Gupta KP and Mehrota NK. 1992. Status of ornithine decarboxylase activity and DNA synthesis in mancozeb-exposed mouse skin. Carcinogenesis 13:131-133.
- *Gupta SK, Murthy RC, Chandra SV. 1980. Neuromelanin in manganese-exposed primates. Toxicol Lett 6:17-20.
- *Guzelian PS, Henry CJ, Olin SS. 1992. Similarities and differences between children and adults: Implications for risk assessment. Washington, DC: International Life Sciences Institute Press.
- *Haddad LM, Winchester JF. 1990. Clinical management of poisoning and drug overdose. 2nd ed. Philadelphia, PA: W.B. Saunders Company, 1031.
- *Hakkinen PJ, Haschek WM. 1982. Pulmonary toxicity of methylcyclopentadienyl manganese tricarbonyl: Nonciliated bronchiolar epithelial (Clara) cell necrosis and alveolar damage in the mouse, rat, and hamster. Toxicol Appl Pharmacol 65:11-22.
- *Halatek T, Hermans C, Broeckaert F, et al. 1998. Quantification of Clara cell protein in rat and mouse biological fluids using a sensitive immunoassay. Eur Respir J 11:726-733.
- Hall ED, Symonds HW, Mallinson CB. 1982. Maximum capacity of the bovine liver to remove manganese from portal plasma and the effect of the route of entry of manganese on its rate of removal. Res Vet Sci 33:89-94.
- *Halliwell B. 1984. Manganese ions, oxidation reactions and the superoxide radical. Neurotoxicology. 5:113-118.
- *Hambridge KM, Sokol RJ, Fidanza SJ, et al. 1989. Plasma manganese concentrations in infants and children receiving parenteral nutrition. J Parenter Enteral Nutr 13:168-171.
- Hams GA, Fabri JK. 1988. An analysis for blood manganese used to assess environmental exposure. Clin Chem 34:1121-1123.
- *Hanzlik RP, Bhatia P, Stitt R, et al. 1980. Biotransformation and excretion of methylcyclopentadienyl manganese tricarbonyl in the rat. Drug Metab Dispos 8:428-433.
- *Hanzlik RP, Harkness CE, Arnoldi S. 1979. Gas chromatographic determination of methylcyclopentadienyl manganese tricarbonyl in biological tissues and fluids. J Chromatogr 171:279-283.
- *Hanzlik RP, Stitt R, Traiger GJ. 1980. Toxic effects of methylcyclopentadienyl manganese tricarbonyl (MMT) in rats: Role of metabolism. Toxicol Appl Pharmacol 56:353-360.
- *Hart DA. 1978. Evidence that manganese inhibits an early event during stimulation of lymphocytes by mitogens. Exp Cell Res 113:139-150.

MANGANESE 425 8. REFERENCES

- *Haschek WM, Hakkinen PJ, Witschi HP, et al. 1982. Nonciliated bronchiolar epithelial (Clara) cell necrosis induced by organometallic carbonyl compounds. Toxicol Lett 14:85-92.
- Haug BA, Schoenle PW, Karch BJ, et al. 1989. Morvan's fibrillary chorea. A case with possible manganese poisoning. Clin Neurol Neurosurg 91:53-59.
- *Hauser RA, Zesiewicz TA, Martinez C, et al. 1996. Blood manganese correlates with brain magnetic resonance imaging changes in patients with liver disease. Can J Neurol Sci 23:95-98.
- *HazDat. 1998. Agency for Toxic Substances and Disease Registry (ATSDR), Atlanta, GA.
- *He P, Liu D, Zhang G, et al. 1994. [Effects of high-level manganese sewage irrigation on children's neurobehavior. Chung Hua Yu Fang I Hsueh Tsa Chih] 28:216-218. (Chinese)
- *Headley JV, Massiah W, Laberge D, et al. 1996. Rapid screening for mancozeb in exposure trials by inductively coupled plasma-atomic emission spectrometric determination of manganese. J AOAC Int 79:1184-1188.
- *Hejtmancik M, Peters AC, Toft JD, et al. 1987b. The chronic study of manganese sulfate monohydrate (CAS No. 10034-96-5) in B6C₃F₁ mice. Report to National Toxicology Program, Research Triangle Park, NC, by Battelle's Columbus Laboratories, Columbus, OH.
- *Hejtmancik M, Peters AC, Toft JD, et al. 1987a. The chronic study of manganese sulfate monohydrate (CAS No. 10034-96-5) in F344 rats. Report to National Toxicology Program, Research Triangle Park, NC, by Battelle's Columbus Laboratories, Columbus, OH.
- *Helling CS, Dennison DG, Kaufman DD. 1974. Fungicide movement in soils. Phytopathology 64:1091-1100.
- *Hellou J, Fancey LL, Payne JF. 1992. Concentrations of twenty-four elements in bluefin tuna, Thunnus thynnus from the Northwest Atlantic. Chemosphere 24:211-218.
- *Helz GR, Huggett RJ, Hill JM. 1975. Behavior of Mn, Fe, Cu, Zn, Cd and Pb discharged from a wastewater treatment plant into an estuarine environment. Water Research 9:631-636.
- *Hemstock GA, Low PF. 1953. Mechanisms responible for retention of manganese in the colloidal fraction of soil. Soil Science 76:331-343.
- *Higo A, Ohtake N, Saruwatari K, et al. 1996. Photoallergic contact dermatitis from mancozeb, an agricultural fungicide. Contact Dermatitis 35:183.
- *Hinderer RK. 1979. Toxicity studies of methylcyclopentadienyl manganese tricarbonyl (MMT). Am Ind Hyg Assoc J 40:164-167.
- *Hobbesland A, Kjuus H, Thelle DS. 1997a. Mortality from nonmalignant respiratory diseases among male workers in Norwegian ferroalloy plants. Scand J Work Environ Health 23:342-350.
- *Hobbesland A, Kjuus H, Thelle DS. 1997b. Mortality from cardiovascular diseases and sudden death in ferroalloy plants. Scand J Work Environ Health 23:334-341.

MANGANESE 426 8. REFERENCES

- *Holbrook DJ Jr, Washington ME, Leake HB, et al. 1975. Studies on the evaluation of the toxicity of various salts of lead, manganese, platinum, and palladium. Environ Health Perspect 10:95-101.
- *Holzgraefe M, Poser W, Kijewski H, et al. 1986. Chronic enteral poisoning caused by potassium permanganate: A case report. J Toxicol Clin Toxicol 24:235-244.
- *Hong JS, Hung CR, Seth PK, et al. 1984. Effect of manganese treatment on the levels of neurotransmitters, hormones, and neuropeptides: Modulation by stress. Environ Res 34:242-249.
- *HSDB. 1989. Hazardous Substances Data Bank. National Library of Medicine, National Toxicology Information Program, Bethesda, MD. September 5, 1989.
- *HSDB. 1993. Hazardous Substances Data Bank. Bethesda, MD: National Institutes of Health, National Library of Medicine.
- *HSDB. 1997. Hazardous Substances Data Bank. Bethesda, MD: National Institutes of Health, National Library of Medicine.
- *HSDB. 1998. Hazardous Substances Data Bank. Bethesda, MD: National Institutes of Health, National Library of Medicine. June 8, 1998.
- *HSDB. 1999. Hazardous Substances Data Bank. Bethesda, MD: National Institutes of Health, National Library of Medicine. June 17, 1999.
- *HSDB. 1999. Hazardous Substances Data Bank. Bethesda, MD: National Institutes of Health, National Library of Medicine.
- Hua MS, Huang CC. 1991. Chronic occupational exposure to manganese and neurobehavioral function. J Clin Exp Neuropsychol 13:495-507.
- *Huang CC, Chu NS, Lu CS, et al. 1989. Chronic manganese intoxication. Arch Neurol 46:1104-1106.
- *Huang CC, Chu NS, Lu CS, et al. 1998. Long-term progression in chronic manganism. Ten years of follow-up. Neurology 50:698-700.
- Hudnell HK. 1999. Effects from environmental Mn exposures: A review of the evidence from non-occupational exposure studies. Neurotoxicology 20:379-398.
- *Hurley LS, Keen CL. 1987. Manganese. In: Trace elements in human and animal nutrition, Fifth Ed., Vol. 1 (W Mertz, ed.) Academic Press, Inc., San Diego, pp. 185-223.
- *Hurley LS, Keen CL, Baly DL. 1984. Manganese deficiency and toxicity: Effects on carbohydrate metabolism in the rat. Neurotoxicology 5:97-104.
- *Hurley LS, Woolley DE, Timiras PS. 1961. Threshold and pattern of electro shock seizures in ataxic manganese-deficient rats. Proc Soc Exp Biol Med 106:343-346.

MANGANESE 427 8. REFERENCES

- *Hussain S, Lipe GW, Slikker, Jr. W, et al. 1997. The effects of chronic exposure of manganese on antioxidant enzymes in different regions of rat brain. Neuroscience Research Communications 21:135-144.
- *Hustvedt SO, Grant D, Southon TE, et al. 1997. Plasma pharmacokinetics, tissue distribution, and excretion of MnDPDP in the rat and dog after intravenous administration. Acta Radiologica 38:690-699.
- *Hylin JW. 1973. Oxidative decomposition of ethylene-bis-dithocarbamates. Bull Environ Contam Toxicol 10:227-233.
- *Hylin JW, Kawano Y, Chang W. 1978. An ultraviolet absorption method for the analysis of maneb formulations. Bull Environ Contam Toxicol 20:840-845.
- *Hysell DK, Moore Jr W, Stara JF, et al. 1974. Oral toxicity of methylcyclopentadienyl manganese tricarbonyl (MMT) in rats. Environ Res 7:158-168.
- IARC. 1982. IARC monographs on the evaluation of the carcinogenic risk of chemicals to humans: Chemicals, industrial processes and industries associated with cancer in humans. Vol. 1 to 29, Supplement 4. International Agency for Research on Cancer, Lyon, France.
- *Ibim SE, Trotman J, Musey PI, et al. 1992. Depletion of essential elements by calcium disodium EDTA treatment in the dog. Toxicology 73:229-237.
- *ID DHW 1999a. Toxic air pollutants non-carcinogenic increments. Idaho Department of Health & Welfare, Division of Environmental Quality. .585.
- *ID DHW 1999b. Ground water quality standards. Idaho Department of Health & Welfare, Division of Environmental Quality. Title 01.11.200, Table III.
- *Iliev D and Elsner P. 1997. Allergic contact dermatitis from the fungicide Rondo-M® and the insecticide Alfacron®. Contact Dermatitis 36:51.
- *Imam Z, Chandra SV. 1975. Histochemical alterations in rabbit testis produced by manganese chloride. Toxicol Appl Pharmacol 32:534-544.
- *Ingersoll RT, Montgomery, Jr., EB, Aposhian HV. 1999. Central nervous system toxicity of manganese II: Cocaine or reserpine inhibit manganese concentration in the rat brain. Neurotoxicology 20:467-476.
- *Iregren A. 1990. Psychological test performance in foundry workers exposed to low levels of manganese. Neurotoxicol Teratol 12:673-675.
- *Iregren A. 1999. Manganese neurotoxicity in industrial exposures: Proof of effects, critical exposure level, and sensitive tests. Neurotoxicology 20:315-324.
- *IRIS. 1993. Integrated Risk Information System. U.S. Environmental Protection Agency, Washington, DC.
- *IRIS. 1998. Integrated Risk Information System. U.S. Environmental Protection Agency, Washington, DC. May 11, 1998.

MANGANESE 428 8. REFERENCES

- IRPTC. 1989. International Register of Potentially Toxic Chemicals. United Nations Environment Programme, Geneva, Switzerland. September 1989.
- *Ishizuka H, Nishida M, Kawada J. 1991. Changes in stainability observed by light microscopy in the brains of ataxial mice subjected to three generations of manganese administration. Biochem Int 25:677-687.
- *Israeli R, Sculsky M, Tiberin P. 1983a. Acute central nervous system changes due to intoxication by Manzidan (a combined dithiocarbamate of maneb and zineb). Arch Toxicol Suppl 6:238-243.
- *Israeli R, Sculsky M, Tiberin P. 1983b. Acute intoxication due to exposure to maneb and zineb: A case with behavioral and central nervous system changes. Scand J Work Environ Health 9:47-51.
- *Ito K, Yamamoto K, Kawanishi S. 1992. Manganese-mediated oxidative damage of cellular and isolated DNA by isoniazid and related hydrazines: Non-Fenton-type hydroxyl radical formation. Biochemistry 31:11606-11613.
- *Iwami O, Watanabe T, Moon CS, et al. 1994. Motor neuron disease on the Kii Peninsula of Japan: excess manganese intake from food coupled with low magnesium in drinking water as a risk factor. Sci Total Environ 149:121-135.
- Iyengar GV. 1987. Reference Values for the Concentrations of As, Cd, Co, Cr, Cu, Fe, I, Hg, Mn, Mo, Pb, Se, and Zn in selected human tissues and body fluids. Biol Trace Elem Res 12:263-95.
- *Jablonicka A, Polakova H, Karelova J, et al. 1989. Analysis of chromosome aberrations and sister-chromatid exchanges in peripheral blood lymphocytes of workers with occupational exposure to the mancozeb-containing fungicide Novozir Mn80. Mutat Res 224:143-146.
- *Jarvinen R and Ahlström A. 1975. Effect of the dietary manganese level on tissue manganese, iron, copper and zinc concentrations in female rats and their fetuses. Med Biol 53:93-99.
- *Jarvisalo J, Olkinuora M, Kiilunen M, et al. 1992. Urinary and blood manganese in occupationally nonexposed populations and in manual metal arc welders of mild steel. Int Arch Occup Environ Health 63:495-501.
- *Jaudon P, Massiani C, Galea J, et al. 1989. Groundwater pollution by manganese. Manganese speciation: Application to the selection and discussion of an *in situ* groundwater treatment. Sci Total Environ 84:169-183.
- *Jiang Y, Lu J, Mai H, et al. 1996a. [Effects of manganese exposure on ECG and blood pressure]. Ind Health Occup Dis 22:341-343. (Chinese)
- *Jiang Y, Lu J, Xie P, et al. 1996b. [Effects of manganese on the sexual function and reproductive outcome of male exposed workers]. Chi J Ind Hyg Occup Dis 14:271-273. (Chinese)
- *Joardar M, Sharma A. 1990. Comparison of clastogenicity of inorganic Manganeseadministered in cationic and anionic forms *in vivo*. Mutat Res 240:159-163.

MANGANESE 429 8. REFERENCES

- *Johanson CE. 1980. Permeability and vascularity of the developing brain: cerebellum vs cerebral cortex. Brain Res 190:3-16.
- Johnson CA. 1976. The determination of some toxic metals in human liver as a guide to normal levels in New Zealand. Part I. Determination of Bi, Cd, Cr, Co, Cu, Pb, Mn, Ni, Ag, Tl and Zn. Anal Chim Acta 81:69-74.
- *Johnson PE, Korynta ED. 1992. Effects of copper, iron, and ascorbic acid on manganese availability to rats. Proc Soc Exp Biol Med 199:470-480.
- *Johnson PE, Lykken GI, Korynta ED. 1991. Absorption and biological half-life in humans of intrinsic and extrinsic ⁵⁴Mn tracers from foods of plant origin. J Nutr 121:711-717.
- *Johnston CG, Kipphut GW. 1988. Microbially mediated Mn(II) oxidation in an oligotrophic arctic lake. Appl Environ Microbiol 54:1440-1445.
- *Jordan LW and Neal RA. 1979. Examination of the in vivo metabolism of maneb and zineb to ethylenethiourea (ETU) in mice. Bull Environ Contam Toxicol 22:271-277.
- *Judde JG, Breillout F, Clemenceau C, et al. 1987. Inhibition of rat natural killer cell function by carcinogenic nickel compounds: Preventive action of manganese. J Natl Cancer Inst 78:1185-1190.
- *Kabata-Pendias A, Pendias H. 1984. Trace elements in soils and plants. Boca Raton, FL: CRC Press, Inc.
- *Kackar R, Srivastava MK, Raizada RB. 1997a. Induction of gonadal toxicity to male rats after chronic exposure to mancozeb. Indust Health 35:104-111.
- *Kackar R, Srivastava MK, Raizada RB. 1997b. Studies on the rat thyroid after oral administration of mancozeb: Morphological and biochemical evaluations. J Appl Toxicol 17:369-375.
- *Kafritsa Y, Fell J, Long S,et al. 1998. Long term outcome of brain manganese deposition in patients on home parenteral nutrition. Arch Dis Child 79:263-265.
- *Kagamimori S, Makino T, Hiramaru Y, et al. 1973. [Studies of effects on the respiratory organs of air pollution through dust consisting mainly of manganese]. Nipon Koshu Eisei Zasshi [Japanese Journal of Public Health] 20:413-421. (Japanese)
- *Kanematsu N, Hara M, Kada T. 1980. Rec assay and mutagenicity studies on metal compounds. Mutat Res 77:109-116.
- *Karlsson JOG, Mortensen E, Pedersen HK, et al. 1997. Cardiovascular effects of MnDPDP and MnCl₂ in dogs with acute ischaemic heart failure. Acta Radiologica 38:750-758.
- Kato M. 1963. Distribution and excretion of radiomanganese administered to the mouse. Q J Exp Physiol 48:355-369.

*Katsuragi T, Takahashi T, Shibuya K, et al. 1996. [A Parkinsonism patient exhibiting high-signal intensity in the globus pallidus on T1-weighted MRI of the head: The correlation with manganese poisoning]. Clin Neurol 36:780-782. (Japanese)

*Kawamura R, Ikuta H, Fukuzumi S, et al. 1941. Intoxication by manganese in well water. Kitasato Arch Exp Med 18:145-171.

*Kawano J, Ney DM, Keen CL, et al. 1987. Altered high density lipoprotein composition in manganese-deficient Sprague-Dawley and Wistar rats. J Nutr 117:902-906.

Keen CL, Leach RM. 1988. Manganese. In: Seiler HG, Sigel H, eds. Handbook on toxicity of inorganic compounds. New York, NY: Marcel Dekker, Inc.

*Keen CL, Zidenberg-Cher S. 1990. Manganese. In: Brown M, ed. Present knowledge in nutrition, sixth edition. Washington, DC: International Life Sciences Institute Nutrition Foundation, 279-286.

Keen CL, Zidenberg-Cherr. 1994. Manganese toxicity in humans and experimental animals. In: Klimis-Tavantzis, ed. Manganese in health and disease. Boca Raton, LA: CRC Press, 194-205.

*Keen CL, Bell JG, Lönnerdal B. 1986. The effect of age on manganese uptake and retention from milk and infant formulas in rats. J Nutr 116:395-402.

Keen CL, Tamura T, Lönnerdal B, et al. 1985. Changes in hepatic superoxide dismutase activity in alcoholic monkeys. Am J Clin Nutr 41:929-932.

Keen CL, Ensunsa JL, Watson MH, et al. 1999. Nutritional aspects of manganese from experimental studies. Neurotoxicology 20:213-223.

Kempton S, Sterritt RM, Lester JN. 1987. Heavy metal removal in primary sedimentation. I. The influence of metal solubility. Sci Total Environ 63:231-246.

*Keppel GE. 1971. J Assoc Off Anal Chem 54:528-532. [Retrieval in Progress].

*Khan KN, Andress JM, Smith PF. 1997. Toxicity of subacute intravenous manganese chloride administration in beagle dogs. Toxicol Pathol 25:344-350.

*Kihira T, Mukoyama M, Ando K, et al. 1990. Determination of manganese concentrations in the spinal cords from amyotrophic lateral sclerosis patients by inductively coupled plasma emission spectroscopy. J Neurol Sci 98:251-258.

*Kilburn CJ. 1987. Manganese, malformations and motor disorders: Findings in a manganese-exposed population. Neurotoxicology 8:421-429.

Kiloh LG, Lethlean AK, Morgan G, et al. 1980. An endemic neurological disorder in tribal Australian aborigines. J Neurol Neurosurg Psychiat 43:661-668.

*Kim Y, Kim JW, Ito K, et al. 1999. Idiopathic Parkinsonism with superimposed manganese exposure: Utility of positron emission tomography. Neurotoxicology 20:249-252.

MANGANESE 431 8. REFERENCES

- *Kimura T, Kuroki K, Doi K. 1998. Dermatotoxicity of agricultural chemicals in the dorsal skin of hairless dogs. Toxicol Pathol 26:442-447.
- *Klaassen CD. 1974. Biliary excretion of manganese in rats, rabbits, and dogs. Toxicol Appl Pharmacol 29:458-468.
- Klaassen CD, Amdur MO, Doull J, ed. 1986. Casarett and Doull's toxicology: The basic science of poisons. New York, NY: Macmillian Publishing Company, 348, 350, 381, 614.
- *Kleibl K, Rá. ková M. 1980. Cutaneous allergic reactions to dithiocarbamates. Contact Dermatitis 6:348-349.
- *Kleinman MT, Pasternack BS, Eisenbud M, et al. 1980. Identifying and estimating the relative importance of airborne particulates. Environ Sci Technol 14:62-65.
- *Kneip TJ, Crable JV, eds. 1988a. Metals in blood or tissue method 118. In: Methods for biological monitoring. Washington, DC: American Public Health Association, 221-228.
- Kneip TJ, Crable JV, eds. 1988b. Metals in urine—method 119. In: Methods for biological monitoring. Washington, DC: American Public Health Association, 229-235.
- *Koch P. 1996. Occupational allergic contact dermatitis and airborne contact dermatitis from 5 fungicides in a vineyard worker: Cross-reactions between fungicides of the dithiocarbamate group? Contact Dermatitis 34:324-329.
- *Koizumi A, Shiojima S, Omiya M, et al. 1979. Acute renal failure and maneb (manganous ethylenebis[dithiocarbamate]) exposure. JAMA 242:2583-2585.
- *Komori M, Nishio K, Kitada M, et al. 1990. Fetus-specific expression of a form of cytochrome P-450 in human liver. Biochemistry 29:4430-4433.
- *Komulainen H and Savolainen K. 1985. Effect of dithiocarbamate fungicides and thiurams on ³H-haloperidol binding in rat brain. Arch Toxicol Suppl 8:77-79.
- *Komura J, Sakamoto M. 1991. Short-term oral administration of several manganese compounds in mice: Physiological and behavioral alterations caused by different forms of manganese. Bull Environ Contam Toxicol 46:921-928.
- *Komura J and Sakamoto M. 1992a. Disposition, behavior, and toxicity of methylcyclopentadienyl manganese tricarbonyl in the mouse. Arch Environ Contam Toxicol 23:473-475.
- *Komura J, Sakamoto M. 1992b. Effects of manganese forms on biogenic amines in the brain and behavioral alterations in the mouse: Long-term oral administration of several manganese compounds. Environ Res 57:34-44.
- *Komura J and Sakamoto M. 1994. Chronic oral administration of methylcyclopentadienyl manganese tricarbonyl altered brain biogenic amines in the mouse: comparison with inorganic manganese. Toxicol Lett 73:65-73.

MANGANESE 432 8. REFERENCES

- *Kondakis XG, Makris N, Leotsinidis M, et al. 1989. Possible health effects of high manganese concentration in drinking water. Arch Environ Health 44:175-178.
- Kono Y, Fridovich I. 1983. Isolation and characterization of the pseudocatalase of *Lactobacillus plantarum*: A new manganese-containing enzyme. J Biol Chem 258:6015-6019.
- *Kontur PJ, Fechter LD. 1985. Brain manganese, catecholamine turnover, and the development of startle in rats prenatally exposed to manganese. Teratology 32:1-11.
- *Kontur PJ, Fechter LD. 1988. Brain regional manganese levels and monoamine metabolism in manganese-treated neonatal rats. Neurotoxicol Teratol 10:295-303.
- Kool HJ, van Kreijl CF, Zoeteman BC. 1982. Toxicology assessment of organic compounds in drinking water. CRC Crit Rev Environ Control 12:307, 347.
- *Kopp JF, Kroner RC. 1967. Trace metals in waters of the United States. A five year summary of trace metals in rivers and lakes of the United States (Oct. 1, 1962 Sept. 30, 1967). Cincinnati, OH: U.S. Department of the Interior, Federal Water Pollution Control Administration. NTIS No. PB-215680.
- *Kostial K, Blanusa M, Maljkovic T, et al. 1989. Effect of a metal mixture in diet on the toxicokinetics and toxicity of cadmium, mercury and manganese in rats. Toxicol Ind Health 5:685-698.
- *Kostial K, Kello D, Jugo S, et al. 1978. Influence of age on metal metabolism and toxicity. Environ Health Perspect 25:81-86.
- *Krishnan K, Andersen ME. 1994. Physiologically-based pharmacokinetic modeling in toxicology. In: Hayes W, ed. Principles and methods of toxicology. 3rd edition, New York, NY: Raven Press, Ltd.
- *Krishnan K, Andersen ME, Clewell HJ, III, et al. 1994. Physiologically-based pharmacokinetic modeling of chemical mixtures. In: Yang RSA, ed. Toxicology of chemical mixtures, New York, NY: Academic Press.
- *Kristensson K, Eriksson H, Lundh B, et al. 1986. Effects of manganese chloride on the rat developing nervous system. Acta Pharmacol Toxicol 59:345-348.
- *Kuhn NJ, Ward S, Piponski M, et al. 1995. Purification of human hepatic arginase and its manganese (II)-dependent and pH-dependent interconversion between active and inactive forms: A possible pH sensing function of the enzyme on the ornithine cycle. Arch Biochem Biophys 320:24-34.
- *Kurttio P and Savolainen K. 1990. Ethylenethiourea in air and in urine as an indicator of exposure to ethylenebisdithiocarbamate fungicides. Scand J Work Environ Health 16:203-207.
- *Kurttio P, Vartiainen T, Savolainen K. 1990. Environmental and biological monitoring of exposure to ethylenebisdithiocarbamate fungicides and ethylenethiourea. Br J Ind Med 47:203-206.
- Lai JC, Leung TK, Lim L. 1982. The ontogeny of acetylcholinesterase activities in rat brain regions and the effect of chronic treatment with manganese chloride. J Neurochem 39:1767-1769.

MANGANESE 433 8. REFERENCES

- *Lai JC, Leung TK, Lim L. 1984. Differences in the neurotoxic effects of manganese during development and aging: Some observations on brain regional neurotransmitter and non-neurotransmitter metabolism in a developmental rat model of chronic manganese encephalopathy. Neurotoxicology 5:37-47.
- *Lai JC, Leung TK, Lim L, et al. 1991. Effects of chronic manganese treatment on rat brain regional sodium-potassium-activated and magnesium-activated adenosine triphosphatase activities during development. Metab Brain Dis 6:165-174.
- Lai JC, Minski MJ, Chan AW, et al. 1981. Brain regional manganese distribution after chronic manganese treatment. Biochem Soc Trans 9:228.
- *Lai JCK, Minski MH, Chan AWK, et al. 1999. Manganese mineral interactions in brain. Neurotoxicology 20:433-444.
- *Laisi A, Tuominen R, Mannisto P, et al. 1985. The effect of maneb, zineb, and ethylenethiourea on the humoral activity of the pituitary-thyroid axis in rat. Arch Toxicol Suppl 8:253-258.
- *Laitung JK, Mercer DM. 1983. Manganese absorption through a burn. Burns Incl Therm Inj 10:145-146.
- Langston JW, Irwin I, Ricaurte GA. 1987. Neurotoxins, parkinsonism and Parkinson's disease. Pharmacol Ther 32:19-49.
- *Larsen LE and Grant D. 1997. General toxicology of MnDPDP. Acta Radiol 38:770-779.
- *Larsson KS, Arnander C, Cekanova E, et al. 1976. Studies of teratogenic effects of the dithiocarbamates maneb, mancozeb, and propineb. Teratology 14:171-183.
- *Laskey JW, Rehnberg GL, Hein JF, et al. 1985. Assessment of the male reproductive system in the preweanling rat following Mn₃O₄ exposure. J Toxicol Environ Health 15:339-350.
- *Laskey JW, Rehnberg GL, Hein JF. 1982. Effects of chronic manganese (Mn₃O₄) exposure on selected reproductive parameters in rats. J Toxicol Environ Health 9:677-687.
- *Lauwerys R, Roels H, Genet P, et al. 1985. Fertility of male workers exposed to mercury vapor or to manganese dust: A questionnaire study. Am J Ind Med 7:171-176.
- *Lauwerys RR, Bernard A, Roels H, et al. 1992. Health risk assessment of long term exposure to chemicals: Application to cadmium and manganese. Arch Toxicol Suppl 15:97-102.
- *Lawrence DA. 1981. Heavy metal modulation of lymphocyte activities. I. *In vitro* effects of heavy metals on primary humoral immune responses. Toxicol Appl Pharmacol 57:439-451.
- Leach RM. 1984. Manganese in enteral and parenteral nutrition. Bull NY Acad Med 60:172-176.
- *Leach RM, Lilburn MS. 1978. Manganese metabolism and its function. World Rev Nutr Diet 32:123-134.

MANGANESE 434 8. REFERENCES

*Leeder JS, Kearns, GL. 1997. Pharmacogenetics in pediatrics: Implications for practice. Ped Clin North America 44:55-77.

*Leung H. 1993. Physiologically-based pharmacokinetic modeling. In: Ballantyne B, Marrs T, Turner P, eds. General and applied toxicology. Vol. I. New York, NY: Stockton Press, 153-164.

Leung TK, Lai JC, Lim L. 1982. The effects of chronic manganese feeding on the activity of monamine oxidase in various organs of the developing rat. Comp Biochem Physiol 71C:223-228.

*Liccione JJ, Maines MD. 1988. Selective vulnerability of glutathione metabolism and cellular defense mechanisms in rat striatum to manganese. J Pharmacol Exp Ther 247:156-161.

Lide DR. 1993. CRC handbook of chemistry and physics. Chemical Rubber Publishing Company, Boca Raton, FL, 4/35-34/113.

*Lim KO, Stark DD, Leese PT, et al. 1991. Hepatobiliary MR imaging: First human experience with MnDPDP. Radiology 178:79-82.

*Lin TH, Chen JG, Liaw JM, et al. 1996. Trace elements and lipid peroxidation in uremic patients on hemodialysis. Biol Trace Elem Res 51:277-283.

*Lioy PJ. 1983. Air pollution emission profiles of toxic and trace elements from energy related sources: Status and needs. Neurotoxicology:103-112.

Lioy PJ, Daisey JM. 1987. Toxic air pollution: A comprehensive study of non-criteria air pollutants. Chelsea, MI: Lewis Publishers, Inc.

*Lisi P and Caraffini S. 1985. Pellagroid dermatitis from mancozeb with vitiligo. Contact Dermatitis 13:124-125.

*Lisi P, Caraffini S, Assalve D. 1987. Irritation and sensitization potential of pesticides. Contact Dermatitis 17:212-218.

*Lloyd Davies TA. 1946. Manganese pneumonitis. Br J Ind Med 3:111-135.

*Lloyd Davies TA, Harding HE. 1949. Manganese pneumonitis: Further clinical and experimental observations. Br J Ind Med 6:82-90.

Lo KSL, Chen YH. 1990. Extracting heavy metals from municipal and industrial sludges. Sci Total Env 90:99-116.

*London RE, Toney G, Gabel SA, et al. 1989. Magnetic resonance imaging studies of the brains of anesthetized rats treated with manganese chloride. Brain Res Bull 23:229-235.

*Lönnerdal B, Keen CL, Bell JG, et al. 1987. Manganese uptake and retention: Experimental animal and human studies. In: Kies C, ed. Nutritional Bioavailability of Manganese: ACS Symposium Series 354, Washington, DC: American Chemical Society, 9-20.

MANGANESE 435 8. REFERENCES

- *Lönnerdal B, Keen CL, Ohtake M, et al. 1983. Iron, zinc, copper, and manganese in infant formulas. Am J Dis Child 137:433-437.
- Lönnerdal B, Kelleher SL, Kaup SM, et al. 1998. Effect of manganese level of infant formula on manganese and iron status and retention in infant monkeys [Abstract]. FASEB J 12:A970.
- *Lönnerdal B, Yuen M, Huang S. 1994. Calcium, iron, zinc, copper and manganese bioavailability from infant formulas and weaning diets assessed in rat pups. Nutr Res 14:1535-1548.
- *Lönnerdal B. 1997. Effects of milk and milk components on calcium, magnesium, and trace element absorption during infancy. Physiol Rev 77:643-669.
- *Loranger S and Zayed J. 1994. Manganese and lead concentrations in ambient air and emission rates from unleaded and leaded gasoline between 1981 and 1992 in Canada: A comparative study. Atmos Environ 28:1645-1651.
- *Loranger S and Zayed J. 1995. Environmental and occupational exposure to manganese: A multimedia assessment. Int Arch Occup Environ Health 67:101-10.
- *Loranger S and Zayed J. 1997a. Environmental contamination and human exposure to airborne total and respirable manganese in Montreal. J Air Waste Manag Assoc 47:983-9.
- *Loranger S and Zayed J. 1997b. Environmental contamination and human exposure assessment to manganese in the St.Lawrence River ecozone (Quebec, Canada) using an environmental fate/exposure model: Geotox. SAR QSAR Environ Res 6:105-19.
- *Loranger S, Zayed J, Forget E. 1994a. Manganese contamination in Montreal in relation with traffic density. Water Air Soil Pollut 74:385-396.
- *Loranger S, Demers G, Kennedy G, et al. 1994b. The pigeon (Columba livia) as a monitor for manganese contamination from motor vehicles. Arch Environ Contam Toxicol 27:311-317.
- *Loranger S, Tetrault M, Kennedy G, et al. 1995a. Manganese and other trace elements in urban snow near an expressway. Environ Pollut 92:203-211.
- *Loranger S, Zayed J, Kennedy G. 1995b. Contribution of methylcyclopentadienyl manganese tricarbonyl (MMT) to atmospheric Manganeseconcentration near expressway: Dispersion modeling estimations. Atmos Environ 29:591-599.
- Lovley DR. 1991. Dissimilatory Fe(III) and Mn(IV) reduction. Microbiol Rev 55:259-287.
- *Lown BA, Morganti JB, D'Agostino R, et al. 1984. Effects on the postnatal development of the mouse of preconception, postconception and/or suckling exposure to manganese via maternal inhalation exposure to MnO₂ dust. Neurotoxicology 5:119-129.
- *Lucchini R, Selis L, Folli D, et al. 1995. Neurobehavioral effects of manganese in workers from a ferroalloy plant after temporary cessation of exposure. Scand J Work Environ Health 21:143-149.

MANGANESE 436 8. REFERENCES

- *Lucchini R, Apostoli P, Perrone C, et al. 1999. Long term exposure to "low levels" of manganese oxides and neurofunctional changes in ferroalloy workers. Neurotoxicology 20:287-298.
- Lustig S, Pitlik SD, Rosenfeld JB. 1982. Liver damage in acute self-induced hypermanganemia. Arch Intern Med 142:405-406.
- *Lyden A, Larsson B, Lindquist NG. 1984. Melanin Affinity of Manganese. Acta Pharmacol Toxicol 55:133-138.
- *Lyman WR. 1971. The metabolic fate of Dithane M-45. ???
- *Lynam DR, Pfeifer GD, Fort BF, et al. 1990. Environmental assessment of MMT fuel additive. Sci Total Environ 93:107-114.
- *Lynam DR, Pfeifer GD, Fort BF, et al. 1994. Atmospheric exposure to manganese from use of methylcyclopentadienyl manganese tricarbonyl (MMT) performance additive. Sci Total Environ 146/147:103-109.
- *Lynam DR, Roos JW, Pfeifer GD, et al. 1999. Environmental effects and exposures to manganese from use of methylcyclopentadienyl manganese tricarbonyl (MMT) in gasoline. Neurotoxicology 20:145-150.
- *Lytle CM, McKinnon CZ, Smith BN. 1994. Manganese accumulation in roadside soil and plants. Naturwissenschaften 81:509-510.
- *Maci R and Arias E. 1987. Teratogenic effects of the fungicide maneb on chick embryos. Ecotoxicol Environ Safety 13:169-173.
- Mahoney JP, Small WJ. 1968. Studies on manganese: III. The biological half-life of radiomanganese in man and factors which affect this half-life. J Clin Invest 47:643-653.
- *Maigetter RZ, Ehrlich R, Fenters JD, et al. 1976. Potentiating effects of manganese dioxide on experimental respiratory infections. Environ Res 11:386-391.
- *Maini P and Boni R. 1986. Gas chromatographic determination of dithiocarbamate fungicides in workroom air. Bull Environ Contam Toxicol 37:931-937.
- *Malecki EA, Greger JL. 1995. Manganese protects against heart mitochondrial lipid peroxidation in rats fed high levels of polyunsaturated fatty acids. J Nutr 126:27-33.
- *Malecki EA, Radzanowski GM, Radzanowski TJ, et al. 1996. Biliary manganese excretion in conscious rats is affected by acute and chronic manganese intake but not by dietary fat. J Nutr 126:489-498.
- *Malm O, Pfeiffer WC, Fiszman M, et al. 1988. Transport and availability of heavy metals in the Paraiba do Sul-Guandu River system, Rio de Janeiro state, Brazil. Sci Total Environ 75:201-209.
- *Malsch PA, Proctor DM, Finley BL. 1994. Estimation of chromium inhalation reference concentration using the benchmark dose method: A case study. Regul Toxicol Pharmacol 20:58-82.

Mandgzhgaladze RN. 1966a. [Effect of manganese compounds on the estrous cycle and embryogeny of experimental animals.] Sb Tr Nauch-Issled Inst Gig Tr Profzabol, Tiflis 10:219-223. (Chemical Abstracts 68:113034m, 1968) (Russian)

Mandgzhgaladze RN. 1966b. [Effect of manganese compounds on the sexual function of male rats.] Sb Tr Nauch-Issled Inst Gig Tr Progzabol, Tiflis 10:191-195. (Chem Abstr 68:113033k, 1968) (Russian)

*Manuzzi P, Borrello P, Misciali C, et al. 1988. Contact dermatitis due to ziram and maneb. Contact Dermatitis 19:148.

Markesbery WR, Ehmann WD, Hossain TI, et al. 1984. Brain manganese concentrations in human aging and Alzheimer's disease. Neurotoxicology 5:49-57.

*Marty JL and Noguer T. 1993. Bi-enzyme amperometric sensor for the detection of dithiocarbamate fungicides. Analusis 21:231-233.

Matrone G, Hartman RH, and Clawson AJ. 1959. Studies of a manganese-iron antagonism in the nutrition of rabbits and baby pigs. J Nutr 67-309-317.

*Matsushita T, Arimatsu Y, Nomura S. 1976. Experimental study on contact dermatitis caused by dithiocarbamates maneb, mancozeb, zineb, and their related compounds. Int Arch Occup Environ Health 37:169-178.

*McBride MB. 1979. Chemisorption and precipitation of Mn²⁺ at CaCO₃ surfaces. Soil Sci Soc Am J 43:693-698.

*McCleod HA and McCully KA. 1969. Head space gas procedure for screening food samples for dithiocarbamate residues. J AOAC 52:1226-1230.

*McGinley PA, Morris JB, Clay RJ, et al. 1987. Disposition and toxicity of methylcyclopentadienyl manganese tricarbonyl in the rat. Toxicol Lett 36:137-145.

McMillan DE. 1999. A brief history of the neurobehavioral toxicity of manganese: Some unanswered questions. Neurotoxicology 20:499-508.

*MDNR. 1990. Written communication regarding contaminant levels in water at hazardous waste sites. Jefferson City, MO: Missouri Department of Natural Resources. (April 18).

*Meco G, Bonifati V, Vanacore N, et al. 1994. Parkinsonism after chronic exposure to the fungicide maneb (manganese ethylene bis-dithiocarbamate). Scand J Work Environ Health 20:301-305.

Mehta R, Reilly JJ. 1990. Manganese levels in a jaundiced long-term total parenteral nutrition patient: Potentiation of haloperidol toxicity? Case report and literature review. JPEN J Parenter Enteral Nutr 14:428-430.

Mena I. 1974. The role of manganese in human disease. Ann Clin Lab Sci 4:487-491.

*Mena I. 1979. Manganese poisoning. In:Vinken PJ and Bruyn GW, eds. Handbook of Clinical Neurology. Amsterdam, the Netherlands: North-Holland Publishing Co., 217-237.

MANGANESE 438 8. REFERENCES

- *Mena I, Horiuchi K, Burke K, et al. 1969. Chronic manganese poisoning: Individual susceptibility and absorption of iron. Neurology 19:1000-1006.
- *Mena I, Horiuchi K, Lopez G. 1974. Factors enhancing entrance of manganese into the brain: Iron deficiency and age. J Nucl Med 15:516.
- *Mena I, Marin O, Fuenzalida S, et al. 1967. Chronic manganese poisoning: Clinical picture and manganese turnover. Neurology 17:128-136.
- *Mergler D, Baldwin M, Bélanger S, et al. 1999. Manganese neurotoxicity, a continuum of dysfunction: Results from a community based study. Neurotoxicology 20:327-342.
- *Mergler D, Huel G, Bowler R, et al. 1994. Nervous system dysfunction among workers with long-term exposure to manganese. Environ Res 64:151-80.
- *Miller ST, Cotzias GC, Evert HA. 1975. Control of tissue manganese: Initial absence and sudden emergence of excretion in the neonatal mouse. Am J Physiol 229:1080-1084.
- *Minoia C, Sabbioni E, Apostoli P, et al. 1990. Trace element reference values in tissues from inhabitants of the European community. I. A study of 46 elements in urine, blood and serum of Italian subjects. Sci Total Environ 95:89-105.
- *Minyard JP, Jr. and Roberts WE. 1991. State findings on pesticide residues in foods: 1988 and 1989. J Assoc Off Anal Chem 74:438-452.
- *Mitchell JA, Long SF, Wilson MC, et al. 1989. The behavorial effects of pesticides in male mice. Neurotoxicol Teratol 11:45-50.
- *Monis B and Valentich MA. 1993. Promoting effects of mancozeb on pancreas of nitrosomethylurea-treated rats. Carcinogenesis 14:929-933.
- *Moore W, Hysell D, Miller R, et al. 1975. Exposure of laboratory animals to atmospheric manganese from automotive emissions. Environ Res 9:274-284.
- *Morato GS, Lemos T, Takahashi RN. 1988. Acute exposure to maneb alters some behavioral functions in the mouse. Neurotoxicol Teratol 11:421-425.
- Morgan JM. 1972. Hepatic copper, manganese, and chromium content in bronchogenic carcinoma. Cancer 29:710-713.
- *Morganti JB, Lown BA, Stineman CH, et al. 1985. Uptake, distribution and behavioral effects of inhalation exposure to manganese (MnO₂) in the adult mouse. Neurotoxicology 6:1-15.
- Morris PD, Koepsell TD, Daling JR, et al. 1986. Toxic substance exposure and multiple myeloma: A case-control study. J Natl Cancer Inst 76:987-994.
- *Morselli PL, Franco-Morselli R, Bossi L. 1980. Clinical pharmacokinetics in newborns and infants. Clin Pharmacokin 5:485-527.

- *Mortelmans K, Haworth S, Lawlor T, et al. (1986). Salmonella mutagenicity tests: II. Results from testing of 270 chemicals. Environ Mutagen 8:1-26.
- *Mossman BT, Surinrut P, Brinton BT, et al. 1996. Transfection of a manganese-containing superoxide dismutase gene into hamster tracheal epithelial cells ameliorates asbestos-mediated cytotoxicity. Free Radical Biol Med 21:125-131 [Retrieval in progress].
- Mouri T. 1973. [Experimental studies on the inhalation of manganese dust.] Shikoku Acta Medica 29:118-129. (Japanese)
- Mumma RO, Raupach DC, Waldman JP, et al. 1984. National survey of elements and other constituents in municipal sewage sludges. Arch Environ Contam Toxicol 13:75-83.
- *Munk R and Schulz. 1989. Study of possible teratogenic effects of the fungicide maneb on chick embryos. Ecotoxicol Environ Safety 17:112-118.
- *Murphy VA, Wadhwani KC, Smith QR, et al. 1991. Saturable transport of manganese (II)across the rat blood-brain barrier. J Neurochem 57:948-954
- Murthy GK, Rhea U, Peeler JT. 1971. Levels of antimony, cadmium, chromium, cobalt, manganese, and zinc in institutional total diets. Environ Sci Technol 5:436-442.
- Mustafa SJ, Chandra SV. 1972. Adenosine deaminase and protein pattern in serum and cerebrospinal fluid in experimental manganese encephalopathy. Arch Toxicol 28:279-285.
- Mutti A and Smargiassi A. 1998. Selective vulnerability of dopaminergic systems to industrial chemicals: Risk assessment of related neuroendocrine changes. Toxicol Ind Health 14:311-324.
- *Nachtman JP, Tubben RE, Commissaris RL. 1986. Behavioral effects of chronic manganese administration in rats: Locomotor activity studies. Neurobehav Toxicol Teratol 8:711-715.
- *Nagata H, Miyata S, Nakamura S, et al. 1985. Heavy metal concentrations in blood cells in patients with amyotrophic lateral sclerosis. J Neurol Sci 67:173-185.
- *Nagatomo S, Umehara F, Hanada K, et al. 1999. Manganese intoxication during total parenteral nutrition: report of two cases and review of the literature. J Neurol Sci 162:102-105.
- *NAS. 1973. Medical and biological effects of environmental pollutants: Manganese. Washington, DC: National Academy of Sciences.
- *NAS. 1977. Drinking water and health. Washington, DC: National Academy of Sciences, 214-215, 265-270, 311-312.
- *NAS. 1980a. Drinking water and health. Vol. 3. Washington, DC: National Academy Press, 331-337.
- *NAS. 1980b. Manganese. In: Recommended dietary allowances. 9th revised ed. Washington, DC: National Academy of Sciences, 154-157.
- NAS. 1982. Drinking water and health. Vol. 4. Washington, DC: National Academy Press, 93.

MANGANESE 440 8. REFERENCES

- *NAS/NRC. 1989. Biologic markers in reproductive toxicology. National Academy of Sciences/National Research Council. Washington, DC: National Academy Press, 15-35.
- *Nash RG, Beall Jr. ML. 1980. Fate of maneb and zineb fungicides in microagroecosystems chambers. J Agric Food Chem 28:322-330.
- *Naslund PE, Andreasson S, Bergstrom R, et al. 1990. Effects of exposure to welding fume: An experimental study in sheep. Eur Respir J 3:800-806.
- *Nater JP, Terpstra H, Bleumink E. 1979. Allergic contact sensitization to the fungicide maneb. Contact Dermatitis 5:24-26.
- NATICH. 1992. Report of Federal, State and Local Air Toxics Activities. National Air Toxics Information Clearinghouse. Environmental Protection Agency, Research Triangle Park, NC.
- NCDEHNR. 1990. Written communication regarding toxic air pollutant emission rates in North Carolina. Raleigh, NC: North Carolina Department of Environment, Health, and Natural Resources. (April 16).
- *Nelson K, Golnick J, Korn T, et al. 1993. Manganese encephalopathy: Utility of early magnetic resonance imaging. Br J Ind Med 50: 510-513.
- *Newland MC, Ceckler TL, Kordower JH, et al. 1989. Visualizing manganese in the primate basal ganglia with magnetic resonance imaging. Exp Neurology 106:251-258.
- *Newland MC, Cox C, Hamada R, et al. 1987. The clearance of manganese chloride in the primate. Fundam Appl Toxicol 9:314-328.
- *Newland MC, Weiss B. 1992. Persistent effects of manganese on effortful responding and their relationship to manganese accumulation in the primate globus pallidus. Toxicol Appl Pharmacol 113:87-97.
- *Newland MC. 1999. Animal models of manganese's neurotoxicity. Neurotoxicology 20:415-432.
- *Newsome WH. 1974. The excretion of ethylenethiourea by rat and guinea pig. Bull Environ Contam Toxicol 11:174-176.
- *NH 1999. Aesthetic regulated secondary maximum contaminant levels. New Hampshire Department of Environmental Services, Air Resources Division. Env-Ws 319.01, Table 319-1.
- *NIOSH. 1984a. Total manganese-method 7200. In: NIOSH manual of analytical methods. 3rd ed. Vol. 1. Cincinnati, OH: National Institute for Occupational Safety and Health, DHHS (NIOSH) Publication No. 84-100.
- *NIOSH. 1984b. Total manganese-method 7300. In: NIOSH manual of analytical methods. 3rd ed. Vol. 1. Cincinnati, OH: National Institute for Occupational Safety and Health, DHHS (NIOSH) Publication No. 84-100.

*NIOSH. 1984c. Elements in blood or tissue-method 8005. In: NIOSH manual of analytical methods. 3rd ed. Vol. 2. Cincinnati, OH: National Institute for Occupational Safety and Health, DHHS (NIOSH) Publication No. 84-100.

*NIOSH. 1984d. Metals in urine-method 8310. In: NIOSH manual of analytical methods. 3rd ed. Vol. 2. Cincinnati, OH: National Institute for Occupational Safety and Health, DHHS (NIOSH) Publication No. 84-100.

NIOSH. 1990. NIOSH Pocket guide to chemical hazards. Washington, DC: U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health. DHHS (NIOSH) Publication No. 90-117.

NIOSH. 1992. NIOSH/OSHA Pocket Guide To Chemical Hazards. US Department of Health and Human Services 206.

NIOSH. 1992. Recommendations for occupational safety and health. US Department of Health and Human Services, NIOSH.

NIOSH. 1997. NIOSH/OSHA Pocket Guide To Chemical Hazards. US Department of Health and Human Services.

Nishiayama K, Suzuki Y, Fujii N, et al. 1975. [Effect of long-term inhalation of manganese dusts. II. Continuous observation of the respiratory organs of monkeys and mice.] Jap J Hyg 30:117. (Japanese)

Nishida M, Ogata K, Sakurai H, et al. 1992. A binding profile of manganese to the nucleus of rat liver cells, and manganese-induced aberrations in thyroid hormone content and RNA synthesis in the nucleus. Biochem Int 27:209-219.

*Nishioka H. 1975. Mutagenic activities of metal compounds in bacteria. Mutat Res 31:185-189.

*NJ DEP. 1999. Ground water quality standards. New Jersey Department of Environmental Protection. 7:9-6.5, Table 1.

NMHED. 1990. Written communication regarding standards for domestic water supply. Sante Fe, NM: New Mexico Health and Environmental Department. (March 28).

*NOES. 1989. National Occupational Exposure Survey. National Institute of Occupational Safety and Health, Cincinnati, OH. October 18, 1989.

*Nogawa et al. 1973. [Epidemiological studies on disturbance of the respiratory system caused by manganese air pollution. Report 1: Effects on respiratory system of junior high school students.] Jpn J Public Health 20:315-326. (Japanese)

*Noguer T and Marty J-L. 1997. High sensitive bienzymic sensor for the detection of dithiocarbamate fungicides. Anal Chim Acta 347:63-70.

NOHS. 1989. National Occupational Hazard Survey. National Institute of Occupational Safety and Health, Cincinnati, OH. October 18, 1989.

MANGANESE 442 8. REFERENCES

- *NRC. 1993. Pesticides in the diets of infants and children. National Research Council, Washington DC: National Academy Press.
- *NRC. 1989. Recommended dietary allowances. Washington, DC: National Research Council. Tenth Edition, 231-235.
- *Nriagu JO. 1979. Copper in the atmosphere and precipitation. In: Nriagu JO, ed. Copper in the environment. Part I: Ecological cycling. New York, NY: John Wiley and Sons, Inc., 43-67.
- *NTP. 1990. Manganese sulfate monohydrate. In: Chemical status report produced from NTP chemtrack system. Research Triangle Park, NC: National Toxicology Program, 14.
- *NTP. 1990. NTP Technical report on the perinatal toxicity and carcinogenicity studies on ethylene thiourea in F/344 rats and B6C3F1 mice (feed studies). National Toxicology Program. NTO-TR-388, NIH Pub. No. 90-28-43 (In retrieval).
- *NTP. 1992. Technical report on the studies of manganese (II) sulfate monohydrate in F344/N rats and B 6C3F1 mice. National Toxicological Program.
- *NTP. 1993. Toxicology and carcinogenesis studies of manganese (II) sulfate monohydrate in F344/N rats and B6C3F1 mice (feed study). National Toxicology Program. Technical Report Series 428. RISKLINE 94030007.
- *NV DCNR 1999a. Gasoline: Adoption of specification guides by references; exemption from strict compliance with standards; limitations on vapor pressure; limitations on contents. Nevada Department of Conservation and Natural Resources, Division of Environmental Protection, Bureau of Air Quality. NRS 590.065.
- *NV DCNR 1999b. Secondary standards: General requirements; public notice. Nevada Department of Conservation and Natural Resources, Division of Environmental Protection, Bureau of Air Quality. NAC 445A.455.
- *NV DCNR 1999c. Standards for toxic materials applicable to designated waters. Nevada Department of Conservation and Natural Resources, Division of Environmental Protection, Bureau of Air Quality. NAC 445A.144.
- *NY DEC. 1999. Inorganic chemicals and physical characteristics maximum contaminant level determination. New York Department of Environmental Conservation, Water Division. 5-1.52. Table 1.
- *Oakley AMM. 1988. Contact allergy to fungicide. NZ Med J 101:180-181.
- *Obama K. 1996. Studies on allergic skin disease caused by pesticides in citrus growers: Field survey study and animal experiments. Med J Kagoshima Univ 48:13-22.
- Oberley LW, Oberley TD, Buettner GR. 1980. Cell differentiation, aging and cancer: The possible roles of superoxide and superoxide dismutases. Med Hypotheses 6:249-268.
- *Oberley TJ, Piper CE, McDonald DS. 1982. Mutagenicity of metal salts in the L5178Y mouse lymphoma assay. J Toxicol Environ Health 9:367-376.

MANGANESE 443 8. REFERENCES

- *Olanow CW, Good PF, Shinotoh H, et al. 1996. Manganese intoxication in the rhesus monkey: A clinical, imaging, pathologic, and biochemical study. Neurology 46:492-498.
- *Okumura D, Melnicoe R, Jackson T, et al. 1991. Pesticide residues in food crops analyzed by the California USA Department of Food and Agriculture in 1989. In: Ware, GW, ed. Reviews of environmental contamination and toxicology, vol. 118. New York, NY; Berlin, Germany: Springer-Verlag New York, Inc., 87-152.
- *Ombaba JM and Barry EF. 1994. Determination of methylcyclopentadienyl manganese tricarbonyl in gasoline by capillary gas chromatography with alternating current plasma emission detection. J Chromatogr A 678:319-325.
- *Ono J, Harada K, Kodaka R. 1995. Manganese deposition in the brain during long-term total parenteral nutrition. J Parent Enter Nutr 19:310-312.
- Onoda K, Hasegawa A, Sunouchi M, et al. 1978. Studies on the fate of poisonous metals in experimental animal (VII): Distribution and transplacental passage of manganese in pregnant rat and fetus. J Food Hyg Soc 19:208-215.
- *OR DEQ 1999. List of hazardous air pollutants. Oregon Department of Environmental Quality, Air Quality Control Division. OAR 340-032-0130.
- *Orgel A, Orgel LE. 1965. Induction of mutations in bacteriophage T4 with divalent manganese. J Mol Biol 14:453-457.
- *OSHA. 1998. Occupational Safety and Health Administration. Code of Federal Regulations 29 CFR 1910.1000. Table Z-1. Limits for air contaminants.
- *OTA. 1990. Neurotoxicology: Identifying and controlling poisons of the nervous system. Washington, DC: Office of Technology Assessment, OTA-BA-438.
- *Owen GM, Brozek J. 1966. Influence of age, sex, and nutrition on body composition during childhood and adolescence. In: Falkner, ed. Human development. Philadelphia, PA: Saunders, 222-238.
- *Pacces Zaffaroni N, Zavanella T, Arias E. 1979. Peripheral blood cells in the crested newt after long-term exposure to the fungicide manganese ethylenebisdithiocarbamate (maneb). Bull Environ Contam Toxicol 23:587-591.
- *Padovani B, Lecesne R, Raffaelli C. 1996. Tolerability and utility of mangafodipir trisodium injection (MnDPDP) at the dose of 5 µmol/kg body weight in detecting focal liver tumors: results of a phase III trial using an infusion technique. Eur J Radiol 23:205-211.
- Pagano DA, Zeiger E. 1992. Conditions for detecting the mutagenicity of divalent metals in *Salmonella typhimurium*. Environ Mol Mutagen 19:139-146.
- *Pappas BA, Zhang D, Davidson CM, et al. 1997. Perinatal manganese exposure: Behavioral, neurochemical, and histopathological effects in the rat. Neurotoxicol Teratol 19:17-25.

*Parenti M, Rusconi L, Cappabianca V, et al. 1988. Role of dopamine in manganese neurotoxicity. Brain Res 473:236-240.

*Patterson KY, Holbrook JT, Bodner JE, et al. 1984. Zinc, copper, and manganese intake and balance for adults consuming self-selected diets. Am J Clin Nutr 40:1397-1403.

*Paulson AJ, Feely RA, Curl HC, et al. 1984. Behavior of Fe, Mn, Cu and Cd in the Duwamish River estuary downstream of a sewage treatment plant. Water Research 18:633-641.

*Paynter DI. 1980. Changes in activity of the manganese superoxide dismutase enzyme in tissues of the rat with changes in dietary manganese. J Nutr 110:437-447.

*Pease HL and Holt RF. 1977. Managanese ethylenebis (dithiocarbamate) (maneb)/ethylenethiourea (ETU) residue studies on five crops treated with ethylenebis (dithiocarbamate) (EBDC) fungicides. J Agric Food Chem 25:561-567.

Penalver R. 1955. Manganese poisoning: The 1954 Ramazzini oration. Ind Med Surg 24:1-7.

Penney DA, Hogberg K, Traiger GJ, et al. 1985. The acute toxicity of cyclopentadienyl manganese tricarbonyl in the rat. Toxicology 34:341-347.

*Pennington JAT, Young BE, Wilson DB, et al. 1986. Mineral content of foods and total diets: The selected minerals in foods survey, 1982 to 1984. J Am Diet Assoc 86:876-891.

Perocco P, Santucci MA, Campani AG, et al. 1989. Toxic and DNA-damaging activities of the fungicides mancozeb and thiram (TMTD) on human lymphocytes *in vitro*. Teratogen Carcinogen Mutagen 9:75-81.

*Petrova-Vergieva T and Ivanova-Tchemishanska L. 1973. Assessment of the teratogenic activity of dithiocarbamate fungicides. Food Cosmet Toxicol 11:239-244.

Phoon WH. 1988. Manganese exposure and biological indicators. Singapore Med J 29:93-94.

Pierson WR, McKee DE, Brachaczek WW, et al. 1978. Methylcyclopentadienyl manganese tricarbonyl: Effect on manganese emissions from vehicles on the road. J Air Pollut Control Assoc 28:692-693.

*Pihl RO, Parkes M. 1977. Hair element contents in learning disabled children. Science 198:204-206.

Piscator M. 1970. Health hazards from inhalation of metal fumes. Environ Res 11:268-270.

Plantin LO, Lying-Tunell U, Kristensson K. 1987. Trace elements in the human central nervous system studied with neutron activation analysis. Biol Trace Elem Res 13:69-75.

Pleil JD, Oliver KD, McClenny WA. 1988. Ambient air analyses using nonspecific flame ionization and electron capture detection compared to specific detection by mass spectrometry. J Air Pollut Control Assoc 38:1006-1010.

*Pollack S, George JN, Reba RC, et al. 1965. The absorption of nonferrous metals in iron deficiency. J Clin Invest 44:1470-1473.

MANGANESE 445 8. REFERENCES

- *Pomier-Layrargues G, Rose C, Spahr L, et al. 1998. Role of manganese in the pathogenesis of portal-systemic encephalopathy. Metabol Brain Dis 13:311-317.
- *Ponnamperuma FN, Loy TA, Tianco EM. 1969. Redox equilibria in flooded soils: II. The manganese oxide systems. Soil Science 108:48-57.
- Pramod KrP, Samii A, Calne DB. 1999. Manganese neurotoxicity: A review of clinical features, imaging, and pathology. Neurotoxicology 20:227-238.
- Proctor NH, Hughes JP, Fischman ML. 1988. Chemical hazards of the workplace. 2nd ed. Philadelphia, PA: J.B. Lippincott Company, 307-308.
- *Quimby BD, Uden PC, Barnes RM. 1978. Atmospheric pressure helium microwave detection system for gas chromatography. Anal Chem 50:2112-2118.
- *Rabin O, Hegedus L, Bourre J-M, et al. 1993. Rapid brain uptake of manganese(II) across the blood-brain barrier. J Neurochem 61:509-517.
- *Rai D, Zachara JM, Schwab AP, et al. 1986. Manganese. In: Chemical attenuation rates, coefficients, and constants in leachate migration. Volume 1: A critical review. Report to Electric Power Research Institute, Palo Alto, CA, by Battelle, Pacific Northwest Laboratories, Richland, WA, 15-1-15-4.
- *Rangaswamy JR and Vijayashankar YN. 1975. A rapid method for the determination of manganese ethylenebisdithiocarbamate and its residues on grains. J Assoc Off Anal Chem 58:1232-1234.
- *Rao A LJ, Malik AK, Kapoor J. 1993. Extraction spectrophotometric determination of maneb with 1-(2'-pyridylazo)-2-naphthol (PAN). Talanta 40:201-203.
- *Rasmuson A. 1985. Mutagenic effects of some water-soluble metal compounds in a somatic eye-color test system in *Drosophila melanogaster*. Mutat Res 157:157-162.
- *Rathore HS, Sharma R, Mital S. 1997. Spot test analysis of pesticides: Detection of carbaryl and mancozeb in water. Water Air Soil Pollut 97:431-441.
- *Reddy MR, Perkins HF. 1976. Fixation of manganese by clay minerals. Soil Science 121:21-24.
- *Rehnberg GL, Hein JF, Carter SD, et al. 1980. Chronic manganese oxide administration to pre-weanling rats: Manganese accumulation and distribution. J Toxicol Environ Health 6:217-226.
- *Rehnberg GL, Hein JF, Carter SD, et al. 1981. Chronic ingestion of Mn₃O₄ by young rats: Tissue accumulation, distribution, and depletion. J Toxicol Environ Health 7:263-272.
- *Rehnberg GL, Hein JF, Carter SD, et al. 1982. Chronic ingestion of Mn₃0₄ by rats: Tissue accumulation and distribution of manganese in two generations. J Toxicol Environ Health 9:175-188.
- *Rehnberg GL, Hein JF, Carter SD, et al. 1985. Age-dependent changes in gastrointestinal transport and retention of particulate manganese oxide in the rat. J Toxicol Environ Health 16:887-899.

MANGANESE 446 8. REFERENCES

- *Rhodes RC. 1977. Studies with manganese [14C]Ethylenebis(dithiocarbamate)([14C]maneb) fungicide and [14C]Ethylenethiourea ([14C]ETU) in plants, soil, and water. J Agric Food Chem. 25:528-533.
- *Rice RH and Cohen DE. 1996. Toxic responses of the skin. In: Klassen CD, Amdur MO, Doull J, eds. Casarett and Doull's toxicology: The basic science of poisons. 5th ed. New York, NY: McGraw-Hill, 529-544.
- *Rodier J. 1955. Manganese poisoning in Moroccan miners. Br J Ind Med 12:21-35.
- *Roels H, Lauwerys R, Buchet JP, et al. 1987a. Epidemiological survey among workers exposed to manganese: Effects on lung, central nervous system, and some biological indices. Am J Ind Med 11:307-327. [Erratum 1987. Am J Ind Hyg 12:119-120].
- *Roels H, Lauwerys R, Genet P, et al. 1987b. Relationship between external and internal parameters of exposure to manganese in workers from a manganese oxide and salt producing plant. Am J Ind Med 11:297-305.
- *Roels H, Meiers G, Delos M, et al. 1997. Influence of the route of administration and the chemical form (MnCl₂, MnO₂) on the absorption and cerebral distribution of manganese in rats. Arch Toxicol 71:223-230.
- Roels H, Sarhan MJ, Hanotiau I, et al. 1985. Preclinical toxic effects of manganese in workers from a Manganesesalts and oxides producing plant. Sci Total Environ 42:201-206.
- *Roels HA, Ghyselen P, Buchet JP, et al. 1992. Assessment of the permissible exposure level to manganese in workers exposed to manganese dioxide dust. Br J Ind Med 49:25-34.
- *Roels HA, Ortega Eslava MI, Ceulemans E, et al. 1999. Prospective study on the reversibility of neurobehavioral effects in workers exposed to manganese dioxide. Neurotoxicology 20:255-272.
- *Rogers RR, Garner RJ, Riddle MM, et al. 1983. Augmentation of murine natural killer cell activity by manganese chloride. Toxicol Appl Pharmacol 70:7-17.
- *Rope SK, Arthur WJ, Craig TH, et al. 1988. Nutrient and trace elements in soil and desert vegetation of southern Idaho. Environmental Monitoring and Assessment 10:1-24.
- *Rose C, Butterworth RF, Zayed J, et al. 1999. Manganese deposition in basal ganglia structures results from both portal-systemic shunting and liver dysfunction. Gastroenterology 117:640-644.
- *Rosenberg C and Siltanen H. 1979. Residues of mancozeb and ethylenethiourea in grain samples. Bull Environ Contam Toxicol 22:475-478.
- *Rosenstock HA, Simons DG, Meyer JS. 1971. Chronic manganism: Neurologic and laboratory studies during treatment with levodopa. J Am Med Assoc 217:1354-1358.
- *Rossander-Hulten L, Brune M, Sandstrom B, et al. 1991. Competitive inhibition of iron absorption by manganese and zinc in humans. Am J Clin Nutr 54:152-156.

MANGANESE 447 8. REFERENCES

- *RTECS. 1999. Registry of Toxic Effects of Chemical Substances. Bethesda, MD: National Institutes of Health, National Library of Medicine. June 17, 1999.
- *Rükgauer M, Klein J, Kruse-Jarres JD. 1997. Reference values for the trace elements copper, manganese, selenium, and zinc in the serum/plasma of children, adolescents, and adults. J Trace Elements Med Biol 11:92-98.
- *Ruoff W. 1995. Relative bioavailability of manganese ingested in food or water. In: Proceedings: Workshop on the bioavailability and oral toxicity of manganese, Omni Netherland Plaza, August 30-31, 1994. Lexington, MA: Eastern Research Group, Inc., 65-75.
- *Ruitjen MWMM, Sallé HJA, Verberk MM, et al. 1994. Effect of chronic mixed pesticide exposure on peripheral and autonomic nerve function. Arch Environ Health 49:188-195.
- *Sakurai H, Nishida M, Yoshimura T, et al. 1985. Partition of divalent and total manganese in organs and subcellular organelles of MnCl₂-treated rats studied by ESR and neutron activation analysis. Biochim Biophys Acta 841:208-214.
- Saltzman BE, Cholak J, Schafer LJ, et al. 1985. Concentrations of six metals in the air of eight cities. Environ Sci Technol 19:328-333.
- *Sánchez DJ, Domingo JL, Llobet JM, et al. 1993. Maternal and developmental toxicity of manganese in the mouse. Toxicol Lett 69:45-52.
- *Sandstrom B, Davidsson L, Cederblad A, et al. 1986. Manganese absorption and metabolism in man. Acta Pharmacol Toxicol (Copenh) 59:60-62.
- *Sandstrom B, Davidsson L, Eriksson R, et al. 1990. Effect of long-term trace element supplementation on blood trace element levels and absorption of (75Se), (54Mn) and (65Zn). J Trace Elem Electrolytes Health Dis 4:65-72.
- *Sarhan MJ, Roels H, Lauwerys R. 1986. Influence of manganese on the gastrointestinal absorption of cadmium in rats. J Appl Toxicol 6313-316
- *Saric M, Hrustic O. 1975. Exposure to airborne manganese and arterial blood pressure. Environ Res 10:314-318.
- *Saric M, Lucic-Palaic. 1977. Possible synergism of exposure to airborne manganese and smoking habit occurrence of respiratory symptoms. In: Walton WH, ed. Inhaled particles. IV. New York, NY: Pergamon Press, 773-779.
- *Saric M, Markicevic A, Hrustic O. 1977. Occupational exposure to manganese. Br J Ind Med 34:114-118.
- *Savolainen K, Kurttio P, Vartiainen T, et al. 1989. Ethylenethiourea as an indicator of exposure to ethylenebisdithiocarbamate fungicides. Arch Toxicol Suppl 13:120-123.
- *Sax NI, Lewis RJ Sr. 1987. Hawley's condensed chemical dictionary. 11th ed. New York, NY: Van Nostrand Reinhold Company, 727-731.

Saxena J, Howard PH. 1977. Environmental transformation of alkylated and inorganic forms of certain metals. Adv Microb 21:185-226.

*SC DHEC. 1999. Toxic air pollutants with maximum allowable concentrations. South Carolina Department of Health and Environmental Control, Bureau of Air Quality. 24A SC Code Ann Regs 61-62.5, Standard 8.

*Schaanning M, Naes K, Egeberg PK, et al. 1988. Cycling of manganese in the permanently anoxic Drammens fjord. Marine Chemistry 23:365-382.

*Schafer DF, Stephenson DV, Barak AJ, et al. 1974. Effects of ethanol on the transport of manganese by small intestine of the rat. J Nutr 104:101-104.

Scheuhammer AM. 1983. Chronic manganese exposure in rats: Histological changes in the pancreas. J Toxicol Environ Health 12:353-360.

Scheuhammer AM, Cherian MG. 1983. The influence of manganese on the distribution of essential trace elements. II. The tissue distribution of manganese, magnesium, zinc, iron, and copper in rats after chronic manganese exposure. J Toxicol Environ Health 12:361-370.

*Schnitzer M. 1969. Reactions between fulvic acid, a soil humic compound and inorganic soil constituents. Soil Sci Soc Amer Proc 33:75-80.

Schramm VL, Brandt M. 1986. The manganese(II) economy of rat hepatocytes. Fed Proc 45:2817-2820.

*Schroeder HA, Balassa JJ, Tipton IH. 1966. Essential trace metals in man: Manganese. A study in homeostasis. J Chron Dis 19:545-571.

*Schroeder WH, Dobson M, Kane DM, et al. 1987. Toxic trace elements associated with airborne particulate matter: A review. J Air Pollut Control Assoc 37:1267-1285.

*Schuler P, Oyanguren H, Maturana V, et al. 1957. Manganese poisoning: Environmental and medical study at a Chilean mine. Ind Med Surg 26:167-173.

Schwab AP, Lindsay WL. 1983. The effect of redox on the solubility and availability of manganese in a calcareous soil. Soil Sci Soc Am J 47:217-220.

*Segura-Aguilar J, Lind C. 1989. On the mechanism of the Mn₃⁽⁺⁾-induced neurotoxicity of dopamine: Prevention of quinone-derived oxygen toxicity by DT diaphorase and superoxide dismutase. Chem Biol Interact 72:309-324.

*Serio R, Long RA, Taylor JE, et al. 1984. The antifertility and antiadrenergic actions of thiocarbamate fungicides in laying hens. Toxicol Appl Pharmacol 72:333-342.

*Setchell BP, Waites GMH. 1975. The blood testis barrier. In: Creep RO, Astwood EB, Greiger SR, eds. Handbook of physiology: Endocrinology V. Washington, DC: American Physiological Society.

Seth PK, Chandra SV. 1984. Neurotransmitters and neurotransmitter receptors in developing and adult rats during manganese poisoning. Neurotoxicology 5:67-76.

MANGANESE 449 8. REFERENCES

- Seth PK, Hong JS, Kilts CD, et al. 1981. Alteration of cerebral neurotransmitter receptor function by exposure of rats to manganese. Toxicol Lett 9:247-254.
- *Seth, PK, Nagar N, Husain R, et al. 1973. Effects of manganese on rabbit testes. Environ Physiol Biochem 3:263-267.
- Shi XL, Dalal NS. 1990. The glutathionyl radical formation in the reaction between manganese and glutathione and its neurotoxic implications. Med Hypotheses 33:83-87.
- Shigan SA, Vitvitskaya BR. 1971. [Experimental substantiation of permissible residual concentration of potassium permanganate in drinking water.] Gig Sanit 36:15-18. (Russian)
- *Shiotsuka RN. 1984. Inhalation toxicity of manganese dioxide and a magnesium oxide-manganese dioxide mixture. Report to U.S. Army Medical Research and Developmental Command, Fort Detrick, Frederick, MD, by Inhalation Toxicology Facility, Medical Department, Brookhaven National Laboratory, Uptown, NY. NTIS No. ADA-148868.
- *Shukla GS, Chandra SV, Seth KP. 1976. Effect of manganese on the levels of DNA, RNA, DNase and RNase in cerebrum, cerebellum and rest of brain regions of rat. Acta Pharmacol Toxicol 39:562-569.
- *Shukla GS, Dubey MP, Chandra SV. 1980. Manganese-induced biochemical changes in growing versus adult rats. Arch Environ Contam Toxicol 9:383-391.
- *Shukla GS, Singh S, Chandra SV. 1978. The interaction between manganese and ethanol in rats. Acta Pharmacol Toxicol 43:354-362.
- *Shukla Y, Antony M, Kumar S, et al. 1990. Carcinogenic activity of a carbamate fungicide, mancozeb, on mouse skin. Cancer Lett 53:191-195.
- *Shuqin K, Haishang D, Peiyi X, et al. 1992. A report of two cases of chronic serious manganese poisoning treated with sodium para-aminosalicyclic acid. Br J Ind Med 49:66-69.
- *Silbergeld EK. 1982. Current status of neurotoxicology, basic and applied. Trends Neurosci 5:291-294.
- *Sierra P, Loranger S, Kennedy G, et al. 1995. Occupational and environmental exposure of automobile mechanics and nonautomotive workers to airborne manganese arising from the combustion of methylcyclopentadienyl manganese tricarbonyl (MMT). Am Ind Hyg Assoc J 56:713-716.
- *Singh I. 1984. Induction of gene conversion and reverse mutation by manganese sulphate and nickel sulphate in *Saccharomyces cerevisiae*. Mutat Res 137:47-49.
- *Singh J, Husain R, Tandon SK, et al. 1974. Biochemical and histopathological alterations in early manganese toxicity in rats. Environ Physiol Biochem 4:16-23.
- Singh J, Kaw JL, Zaidi SH. 1977. Early biochemical response of pulmonary tissue to manganese dioxide. Toxicology 8:177-184.

MANGANESE 450 8. REFERENCES

- *Singh PP, Junnarkar AY. 1991. Behavioural and toxic profile of some essential trace metal salts in mice and rats. Ind J Pharmacol 23:153-159.
- *Singh S, Shukla GS, Srivastava RS, et al. 1979. The interaction between ethanol and manganese in rat brain. Arch Toxicol 4:307-316.
- *Siqueira ME, Hirata MH, Adballa DS. 1991. Studies on some biochemical parameters in human manganese exposure. Med Lav 82:504-509.
- *Siqueira ME, Moraes EC. 1989. Homovanillic acid (HVA) and manganese in urine of workers exposed in a ferromanganese alloy plant. Med Lav 80:224-228.
- Sitaramayya A, Nagar N, Chandra SV. 1974. Effect of manganese on enzymes in rat brain. Acta Pharmacol Toxicol 35:185-190.
- Sittig M. 1985. Handbook of toxic and hazardous chemicals and carcinogens. 2nd ed. Park Ridge, NY: Noyes Publications, 559-562.
- Sjogren B, Gustavsson P, Hogstedt C. 1990. Neuropsychiatric symptoms among welders exposed to neurotoxic metals. Br J Ind Med 47:704-707.
- *Sloot WN, Gramsbergen JP. 1994. Axonal transport of manganese and its relevance to selective neurotoxicity in the rat basal ganglia. Brain Res 657:124-132.
- Sly LI, Hodgkinson MC, Arunpairojana V. 1988. Effect of water velocity on the early development of manganese-depositing biofilm in a drinking water distribution system. FEMS Microbiol Ecol 53:175-186.
- *Smargiassi A, Mergler D, Bergamaschi E, et al. 1995. Peripheral markers of catecholamine metabolism among workers occupationally exposed to manganese (Mn). Toxicol Lett 77:329-333.
- *Smargiassi A and Mutti A. 1999. Peripheral biomarkers of exposure to manganese. Neurotoxicology 20:401-406.
- *Smialowicz RJ, Luebke RW, Rogers RR, et al. 1985. Manganese chloride enhances natural cell-mediated immune effector cell function: Effects on macrophages. Immunopharmacology 9:1-11.
- *Smialowicz RJ, Rogers RR, Riddle MM, et al. 1987. Effects of manganese, calcium, magnesium, and zinc on nickel-induced suppression of murine natural killer cell activity. J Toxicol Environ Health 20:67-80.
- *Smith GW and Palmby AK. 1959. Flame photometric determination of lead and manganese in gasoline. Anal Chem 31:1798-1802.
- *Smith RA, Alexander RB, Wolman MG. 1987. Water-quality trends in the nation's rivers. Science 235:1607-1615.
- *Smith SE, Medlicott M, Ellis GH. 1944. Manganese deficiency in the rabbit. Arch Biochem Biophys 4:281-289.

MANGANESE 451 8. REFERENCES

- *Smyth HF, Carpenter CP, Weil CS, et al. 1969. Range-finding toxicity data: List VII. Am Ind Hyg Assoc J 30:470-476.
- *Smyth LT, Ruhf RC, Whitman NE, et al. 1973. Clinical manganism and exposure to manganese in the production and processing of ferromanganese alloy. J Occup Med 15:101-109.
- Snella MC. 1985. Manganese dioxide induces alveolar macrophage chemotaxis for neutrophils *in vitro*. Toxicology 34:153-159.
- *Sobotka T. 1971. Comparative effects of 60-day feeding of maneb and of ethylenethiourea on thyroid electrophoretic patterns of rats. Food Cosmet Toxicol 9:537-540.
- *Sobti RC, Kaur H, Sharma M. 1987. Mutagenicity of dithiocarbamate herbicide Dithane M-45 (mancozeb). Chromosome Inf Serv 42:20-22.
- *Southwood T, Lamb CM, Freeman J. 1987. Ingestion of potassium permanganate crystals by a 3-yr-old boy. Med J Aust 146:639-640.
- *Spahr L, Butterworth RF, Fontaine S, et al. 1996. Increased blood manganese in cirrhotic patients: Relationship to pallidal magnetic resonance signal hyperintensity and neurological symptoms. Hepatology 24:1116-1120.
- SRI. 1986. Directory of chemical producers: United States of America. Menlo Park, CA: SRI International, 760-762.
- SRI. 1987. Directory of chemical producers: United States of America. Menlo Park, CA: SRI International, 743-744.
- SRI. 1988. Directory of chemical producers: United States of America. Menlo Park, CA: SRI International, 730-731.
- SRI. 1989. Directory of chemical producers: United States of America. Menlo Park, CA: SRI International, 733-734.
- *Srisuchart B, Taylor MJ, Sharma RP. 1987. Alteration of humoral and cellular immunity in manganese chloride-treated mice. J Toxicol Environ Health 22:91-99.
- Srivastava VK, Chauhan SS, Srivastava PK, et al. 1990. Placental transfer of metals of coal fly ash into various fetal organs of rat. Arch Toxicol 64:153-156.
- *Stanek EJ, Calabrese EJ. 1995. Daily estimates of soil ingestion in children. Environ Health Perspect 103:276-285.
- *Stauber JL, Florence TM, Webster WS. 1987. The use of scalp hair to monitor manganese in aborigines from Groote Eylandt. Neurotoxicology 8:431-435.
- *Steenland K, Cedillo L, Tucker J, et al. 1997. Thyroid hormones and cytogenetic outcomes in backpack sprayers using ethylenebis(dithiocarbamate) (EBDC) fungicides in Mexico. Environ Health Perspect 105:1126-1130.

MANGANESE 452 8. REFERENCES

- Stern RM, Berlin A, Fletcher A, et al. 1986. International Conference on Health Hazards and Biological Effects of Welding Fumes and Gases, Copenhagen, 18-21 February 1985. Summary report. Int Arch Occup Environ Health 57:237-246.
- Stockl NK. 1989. [Experimental investigations of the retention of lead and other trace elements (Fe, Cu, Zn, Mn) in juvenile and adult rats exposed to different levels of alimentary lead.] Munich, Germany: Institut Fur Ernahrungsphysiologic Der Technischen Universitat Munchen [Dissertation] NTIS No. DE88-770330. (German)
- *Stoner GD, Shimkin MB, Troxell MC, et al. 1976. Test for carcinogenicity of metallic compounds by the pulmonary tumor response in strain A mice. Cancer Res 36:1744-1747.
- Storey E, Hyman BT, Jenkins B, et al. 1992. 1-Methyl-4-phenylpyridinium produces excitotoxic lesions in rat striatum as a result of impairment of oxidative metabolism. J Neurochem 58:1975-1978.
- *Strause LG, Hegenauer J, Saltman P, et al. 1986. Effects of long-term dietary manganese and copper deficiency on rat skeleton. J Nutr 116:135-141.
- *Stupar J, Dolinsek F. 1996. Determination of chromium, manganese, lead, and cadmium in biological samples including hair using direct electrothermal atomic absorption spectrometry. Spectrochim Acta B 51:665-683.
- *Sturaro A, Parvoli G, Doretti L, et al. 1994. The influence of color, age, and sex on the content of zinc, copper, nickel, manganese, and lead in human hair. Biol Trace Elem Res 40:1-8.
- *Suarez N, Walum E, Eriksson H. 1995. Cellular neurotoxicity of trivalent manganese bound to transferrin or pyrophosphate studied in human neuroblastoma (SH-SY5Y) cell cultures. Toxicol in Vitro 9:717-721.
- *Subhash MN, Padmashree TS. 1991. Effect of manganese on biogenic amine metabolism in regions of the rat brain. Food Chem Toxicol 29:579-582.
- *Sumino K, Hayakawa K, Shibata T, et al. 1975. Heavy metals in normal Japanese tissues: Amounts of 15 heavy metals in 30 subjects. Arch Environ Health 30:487-494.
- *Sunderman FW, Kasprzak KS, Lau TJ, et al. 1976. Effects of manganese on carcinogenicity and metabolism of nickel subsulfide. Cancer Res 36:1790-1800.
- Sunderman FW, Reid MC, Allpass PR, et al. 1980. Manganese inhibition of sarcoma induction by benzo(a)pyrene in Fischer rats. Proc Am Assoc Cancer Res 21:72.
- *Suzuki Y, Fujii N, Yano H, et al. 1978. Effects of the inhalation of manganese dioxide dust on monkey lungs. Tokushima J Exp Med 25:119-125.
- *Suzuki Y, Mouri T, Suzuki Y et al. 1975. Study of subacute toxicity of manganese dioxide in monkeys. Tokushima J Exp Med 25:119-125.
- *Svensson O, Engfeldt B, Reinholt FP, et al. 1987. Manganese rickets: A biochemical and stereologic study with special reference to the effect of phosphate. Clin Orthop (No. 218):302-311.

MANGANESE 453 8. REFERENCES

- *Svensson O, Hjerpe A, Reinholt FP, et al. 1985. The effect of manganese ingestion, phosphate depletion, and starvation on the morphology of the epiphyseal growth plate: A stereologic study. Clin Orthop (No. 197):286-294.
- *Szakmáry E, Ungvary G, Hudak A, et al. 1995. Developmental effect of manganese in rat and rabbit. Cent Eur J Occup Environ Med 1:149-159.
- *Sziráki I, Rauhala P, Kon Koh K, et al. 1999. Implications for atypical antioxidative properties of manganese in iron-induced brain lipid peroxidation and copper-dependent low density lipoprotein conjugation. Neurotoxicology 20:455-466.
- *Takeda A, Sawashita J, Okada S. 1994. Localization in rat brain of the trace metals, zinc and manganese, after intracerebroventricular injection. Brain Res 658:252-254.
- Talbot V. 1983. Lead and other trace metals in the sediments and selected biota of Princess Royal Harbour, Albany, Western Australia. Environmental Pollution 5:35-49.
- *Tanaka S, Lieben J. 1969. Manganese poisoning and exposure in Pennsylvania. Arch Environ Health 19:674-684.
- Tanaka S. 1994. Manganese and its compounds. In: Zenz C, Dickerson OB, Horvath EP, eds. Occupational Medicine. 3rd edition. St. Louis, MO: Mosby, 542-548.
- Tang LC. 1984. A personal and scientific biography of Dr. George C. Cotzias. Neurotoxicology 5:5-12.
- Taylor HE. 1982. A summary of methods for water-quality analysis of specific species. In: Minear RA, Keith LH, eds. Water analysis. Vol. 1. Inorganic Species. Part 1. New York, NY: Academic Press, 235-273.
- *Ter Haar GL, Griffing ME, Brandt M, et al. 1975. Methylcyclopentadienyl manganese tricarbonyl as an antiknock: Composition and fate of manganese exhaust products. J Air Pollut Control Assoc 25:858-860.
- Tholey G, Ledig M, Kopp P, et al. 1988. Levels and sub-cellular distribution of physiologically important metal ions in neuronal cells cultured from chick embryo cerebral cortex. Neurochem Res 13:1163-1167.
- *Thompson SE, Burton CA, Quinn DJ, et al. 1972. Concentration factors of chemical elements in edible aquatic organisms. Lawrence Livermore Laboratory, Bio-Medical Division, University of California, Livermore, CA.
- *Thompson TN, Klaassen CD. 1982. Presystemic elimination of manganese in rats. Toxicol Appl Pharmacol 64:236-243.
- *Thomson AB, Olatunbosun D, Valberg LS, et al. 1971. Interrelation of intestinal transport system for manganese and iron. J Lab Clin Med 78:642-655.
- *Tichy M, Cikrt M. 1972. Manganese transfer into the bile in rats. Arch Toxikol 29:51-58.
- *Tinggi U, Reilly C, Patterson C. 1997. Determination of manganese and chromium in food by atomic absorption spectromety after wet digestion. Food Chem 60:123-128.

MANGANESE 454 8. REFERENCES

- *Tipton IH, Cook MJ. 1963. Trace elements in human tissue. Part II. Adult subjects from the United States. Health Phys 9:103-145.
- Tisue GT, Hsiung T-M. 1987. Manganese speciation in a southeastern USA reservoir. 194th American Chemical Society National Meeting. Abstr Pap Am Chem Soc 194:231.
- *Tjälve H, Henriksson J, Tallkvist J, et al. 1996. Uptake of manganese and cadmium from the nasal mucosa into the central nervous system via olfactory pathways in rats. Pharmacol Toxicol 79:347-356.
- *Tjälve H and Henriksson J. 1999. Uptake of metals in the brain via olfactory pathways. Neurotoxicology 20:181-195.
- *Toft KG, Friisk GA, Skotland T. 1997a. Mangafodipir trisodium injection, a new contrast medium for magnetic resonance imaging: Detection and quantification of the parent compound MnDPDP and metabolites in human plasma by high performance liquid chromatography. J Pharm Biomed Anal 15:973-981.
- *Toft KG, Kindberg GM, Skotland T. 1997b. Mangafodipir trisodium injection, a new contrast medium for magnetic resonance imaging: In vitro metabolism and protein binding studies of the active component MnDPDP in human blood. J Pharm Biomed Anal 15:983-988.
- *Toft KG, Hustvedt SO, Grant D, et al. 1997c. Metabolism of mangafodipir trisodium (MnDPDP), a new contrast medium for magnetic resonance imaging, in beagle dogs. Eur J Drug Metab Pharmacokinet 22:65-72.
- *Treinen KA, Gray TJB, Blazak WF. 1995. Developmental toxicity of mangafodipir trisodium and manganese chloride in Sprague-Dawley rats. Teratol 52:109-115.
- *TRI87. 1989. Toxic Chemical Release Inventory. National Library of Medicine, National Toxicology Information Program, Bethesda, MD.
- *TRI91. 1993. Toxic Release Inventory. Washington, DC: US Environmental Protection Agency, Office of Toxic Substances.
- *TRI96. 1998. Toxic Release Inventory. Washington, DC: US Environmental Protection Agency, Office of Toxic Substances.
- *TRI97 1999. Toxic Release Inventory. Washington, DC: US Environmental Protection Agency, Office of Toxic Substances.
- *Trivedi N, Kakkar R, Srivastava MK, et al. 1993. Effect of oral administration of fungicide-mancozeb on thyroid gland of rat. Indian J Exp Biol 31:564-566.
- *Tsalev DL. 1983. Manganese. In: Tsalev DL. Atomic absorption spectrometry in occupational and environmental health practice. Vol. II. Determination of individual elements. Boca Raton, FL: CRC Press, Inc.

MANGANESE 455 8. REFERENCES

- Tsalev DL, Langmyhr FJ, Gunderson N. 1977. Direct atomic absorption spectrometric determination of manganese in whole blood of unexposed individuals and exposed workers in a Norwegian manganese alloy plant. Bull Environ Contam Toxicol 17:660-666.
- Tsuchiya H, Shima S, Kurita H, et al. 1987. Effects of maternal exposure to six heavy metals on fetal development. Bull Environ Contam Toxicol 38:580-587.
- *Tsuda H, Kato K. 1977. Chromosomal aberrations and morpholog-i-cal transformation in hamster embryonic cells treated with potassium dichromate in vitro. Mutat Res 46:87-94.
- *Tulikoura I, Vuori E. 1986. Effect of total parenteral nutrition on the zinc, copper, and manganese status of patients with catabolic disease. Scand J Gastroenterol 21:421-432.
- *Turner RR, Lindberg SE, Coe JM. 1985. Comparative analysis of trace metal accumulation in forest ecosystems. 5th International Conference on Heavy Metals in the Environment 1:356-358.
- Tutterova M, Mosinger B, Vavrinkova H. 1988. Heart injury in the calcium paradox: The effect of manganese. Biomed Biochim Acta 47:57-64.
- *Ulitzur S, Barak M. 1988. Detection of genotoxicity of metallic compounds by the bacterial bioluminescence test. J Biol Chem 2:95-99.
- *Ulrich CE, Rinehart W, Brandt M. 1979a. Evaluation of the chronic inhalation toxicity of a manganese oxide aerosol. III Pulmonary function, electromyograms, limb tremor, and tissue manganese data. Am Ind Hyg Assoc J 40:349-353.
- *Ulrich CE, Rinehart W, Busey W, et al. 1979b. Evaluation of the chronic inhalation toxicity of a manganese oxide aerosol. II Clinical observations, hematology, clinical chemistry and histopathology. Am Ind Hyg Assoc J 40:322-329.
- *Umeda M, Nishimura M (1979) Inducibility of chromosomal aberra-tions by metal compounds in cultured mammalian cells. Mutat Res 67:221-229.
- *Underwood EJ. 1971. Manganese. In: Trace elements in human and animal nutrition. 3rd ed. New York, NY: Academic Press, 177-203.
- *Underwood EJ. 1981. The incidence of trace element deficiency diseases. Phil Trans R Soc Lond B 294:3-8.
- U.S. Bureau of Mines. 1983. Mineral commodity summaries. Washington, DC.
- U.S. Bureau of Mines. 1988. Mineral commodity summaries. Washington, DC.
- *U.S. Bureau of Mines. 1989. Mineral commodity summaries. Washington, DC.
- *U.S. DHEW. 1970. Community water supply study. Analysis of national survey findings. Cincinnati, OH: U.S. Department of Health, Education, and Welfare, Bureau of Water Hygiene. NTIS No. PB-214982.

MANGANESE 456 8. REFERENCES

- *U.S. DOT. 1996. U.S. Department of Transportation. 1996 North American emergency response guidebook.
- *USGS. 1998. Mineral industry surveys: Manganese: 1997 Annual review. U.S. Geological Survery, U.S. Department of the Interior.
- *Utter MF. 1976. The biochemistry of manganese. Med Clin North Am 60:713-727.
- *Vaccari A, Saba P, Mocci I, et al. 1999. Dithiocarbamate pesticides affect glutamate transport in the brain synaptic vesicles. J Pharmacol Exp Ther 288:1-5.
- *Valencia R, Mason JM, Woodruff RC, et al. 1985. Chemical mutagenesis testing in *Drosophila*. III. Results of 48 coded compounds tested for the National Toxicology Program. Environ Mutagen 7:325-348.
- *Valentin H, Schiele R. 1983. Manganese. In: Alessio L, et al. Human biological monitoring of industrial chemicals series. Luxembourg: Commission of the European Communities. EUR-8476-EN. NTIS No. PB86-217908.
- *Vahlquist A, Rask L, Peterson PA, et al. 1975. The concentrations of retinol-binding protein, prealbumin, and transferrin in the sera of newly delivered mothers and children of various ages. Scand J Clin Lab Invest 35:569-75.
- *Vasudev V and Krishnamurthy NB. 1994. In vivo cytogenetic analyses of the carbamate pesticides Dithane M-45 and Baygon in mice. Mutat Res 323:133-135.
- *Venugopal B, Luckey TD. 1978. Toxicity of group VII metals. In: Metal toxicity in mammals. 2. Chemical toxicity of metals and metalloids. New York, NY: Plenum Press, 262-268.
- *Verity MA. 1999. Manganese toxicity: A mechanistic hypothesis. Neurotoxicology 20:489-498.

Verschueren K. 1983. Handbook of environmental data on organic chemicals. 2nd ed. New York: Van Nostrand Reinhold Company, 806.

Versieck J, Cornelis R. 1980. Normal levels of trace elements in human blood plasma or serum. Anal Chim Acta 116:217-254.

*Versieck J, Vanballenberghe L, De Kese A. 1988. More on determination of manganese in biological materials [Letter]. Clin Chem 34:1659-1660.

Versieck J, Vanballenberghe L, De Kesel A, et al. 1987. Accuracy of biological trace-element determination. Biol Trace Elem Res 12:45-54.

Vescovi A, Gebbia M, Cappelletti G, et al. 1989. Interactions of manganese with human brain glutathione-S-transferase. Toxicology 57:183-191.

*Vieira I, Sonnier M, Cresteil T. 1996. Developmental expression of CYP2E1 in the human liver: Hypermethylation control of gene expression during the neonatal period. Eur J Biochem 238:476-483.

MANGANESE 457 8. REFERENCES

- *Vieregge P, Heinzow B, Korf G, et al. 1995. Long term exposure to manganese in rural well water has no neurological effects. Can J Neurol Sci 22:286-289.
- *VT DEC. 1999a. Hazardous ambient air standards. Vermont Agency of Natural Resources, Department of Environmental Conservation, Air Pollution Control Division. Chapter 5, Appendix C.
- *VT DEC. 1999b. Primary ground water quality standards. Vermont Agency of Natural Resources, Department of Environmental Conservation, Water Quality Division. Chapter 12, Appendix One.
- *Waalkes MP, Klaassen CD. 1985. Concentration of metallothione in major organs of rats after administration of various metals. Fundam Appl Toxicol 5:473-477.
- Waddell J, Steenbock H, Hart EB. 1931. Growth and reproduction on milk diets. J Nutr 4:53-65.
- *WA DE. 1999a. Thresholds for hazardous air pollutants. Washington Department of Ecology, Air Quality Program. WAC 173-401-531.
- *WA DE. 1999b. Ground water quality criteria. Washington Department of Ecology, Water Quality Program. WAC 173-200-040, Table I.
- *Walash MI, Belal F, Metwally ME, et al. 1993. Spectrophotometric determination of maneb, zineb, and their decomposition products in some vegetables and its application to kinetic studies after greenhouse treatment. Food Chem 47:411-416.
- *Wallace L and Slonecker T. 1997. Ambient air concentrations of fine (PM_{2.5}) manganese in U.S. national parks and in California and Canadian cities: The possible impact of adding MMT to unleaded gasoline. J Air Waste Manag Assoc 47:642-652.
- *Walton AP, Wei GT, Liang Z, et al. 1991. Laser-excited atomic fluorescence in a flame as a high-sensitivity detector for organomanganese and organotin compounds following separation by high-performance liquid chromatography. Anal Chem 63:232-240.
- *Wang C, Gordon PB, Hustvedt SO, et al. 1997. MR imaging properties and pharmacokinetics of MnDPDP in healthy volunteers. Acta Radiologica 38:665-676.
- Wang JD, Huang CC, Hwang YH, et al. 1989. Manganese induced Parkinsonism: An outbreak due to an unrepaired ventilation control system in a ferromanganese smelter. Br J Ind Med 46:856-859.
- *Warner BB, Papes R, Heile M, et al. 1993. Expression of human MnSOD in Chinese hamster ovary cells confers protection from oxidant injury. Am J Physiol 264:L598-L605.
- *Wassermann D, Wassermann M. 1977. The ultra structure of the liver cell in subacute manganese administration. Environ Res 14:379-390.
- WDHSS. 1990. Written communication regarding groundwater quality standards. Madison, WI: Wisconsin Department of Health and Social Services. (March 19).
- Weast RC, ed. 1985. CRC handbook of chemistry and physics. Boca Raton, FL: CRC Press, Inc., B-112-B-114, B-214.

MANGANESE 458 8. REFERENCES

- *Webster WS, Valois AA. 1987. Reproductive toxicology of manganese in rodents, including exposure during the postnatal period. Neurotoxicology 8:437-444.
- *Wedekind KJ, Titgemeyer EC, Twardock AR, et al. 1991. Phosphorus, but not calcium, affects manganese absorption and turnover in chicks. J Nutr 121:1776-1786.
- *Wedler FC. 1994. Biochemical and nutritional role of manganese: an Overview. In: Klimis-Tavantzis DJ, ed. Manganese in Health and Disease. Boca Raton, LA: CRC Press, 1-36.
- *Weiner WJ, Nausieda PA, Klawans HL. 1977. Effect of chlorpromazine on central nervous system concentrations of manganese, iron, and copper. Life Sci 20:1181-1186.
- Weiss B. 1999. Manganese in the context of an integrated risk and decision process. Neurotoxicology 20:519-526.
- *Wennberg A, Hagman M, Johansson L. 1992. Preclinical neurophysiological signs of Parkinsonism in occupational manganese exposure. Neurotoxicology 13:271-274.
- *Wennberg A, Iregren A, Struwe G, et al. 1991. Manganese exposure in steel smelters a health hazard to the nervous system. Scand J Work Environ Health 17:255-262.
- *Weppelman RM, Long RA, Van Iderstine A, et al. 1980. Antifertility effects of dithiocarbamates in laying hens. Biol Reprod 23:40-46.
- *West JR, Smith HW, Chasis H. 1948. Glomerular filtration rate, effective renal blood flow, and maximal tubular excretory capacity in infancy. J Ped 32a:10-18.
- *Whitlock CM, Amuso SJ, Bittenbender JB. 1966. Chronic neurological disease in two manganese steel workers. Am Ind Hyg Assoc J 27:454-459.
- *WHO. 1981. Environmental health criteria 17: Manganese. World Health Organization, Geneva, Switzerland.
- *WHO. 1984a. Guidelines for drinking water quality. Vol. 1. Recommendations. World Health Organization, Geneva, Switzerland, 7, 52, 79, 82.
- WHO. 1984b. Guidelines for drinking water quality. Vol. 2. Health criteria and other supporting information. World Health Organization, Geneva, Switzerland, 275-278.
- *WHO. 1986. Diseases caused by manganese and its toxic compounds. Early detection of occupational diseases, World Health Organization, Geneva, Switzerland, 69-73.
- *WHO. 1987. Manganese. In: Air quality guidelines for Europe. European Series No. 23. Copenhagen, Denmark: World Health Organization Regional Office for Europe, 262-271.
- *WHO. 1997. Manganese. In: Air quality guidelines for Europe, 2nd Edition. World Health Organization, Regional Office for Europe, Copenhagen, WHO Regional Publications, European Series. Internet address: http://www.who.int/peh/air/airguides2.htm. Accessed November 11, 1999.

MANGANESE 459 8. REFERENCES

- WHO. 1991. Manganese. Commission of the European Communities; International Programme on Chemical Safety (IPCS) World Health Organization, Geneva, Switzerland.
- *Widdowson EM, Dickerson JWT. 1964. Chemical composition of the body. In: Comar CL, Bronner F, eds. Mineral metabolism: An advanced treatise, Volume II: The elements part A. New York, NY: Academic Press.
- *Widdowson EM, Chan H, Harrison GE, et al. 1972. Accumulation of Cu, Zn, Mn, Cr and Co in the human liver before birth. Biol Neonate 20:360-367.
- *Wieczorek H, Oberdorster G. 1989a. Effects of selected chelating agents on organ distribution and excretion of manganese after inhalation exposure to ⁵⁴MnCl₂. I. Injection of chelating agents. Pol J Occup Med 2:261-267.
- *Wieczorek H, Oberdorster G. 1989b. Effects of chelating on organ distribution and excretion of manganese after inhalation exposure to 54MnCl2. II: Inhalation of chelating agents. Pol J Occup Med 2:389-396.
- *Wilgus, Jr. HS, Patton AR. 1939. Factors affecting manganese utilization in the chicken. J Nutr 18:35-45.
- *Wilson DC, Tubman R, Bell N, et al. 1991. Plasma manganese, selenium and glutathione peroxidase levels in the mother and newborn infant. Early Hum Dev 26:223-226.
- *Windholz M, ed. 1983. The Merck index: An encyclopedia of chemicals, drugs and biologicals. 10th ed. Rahway, NJ: Merck and Company, Inc., 816-818.
- Witschi HP, Hakkinen PJ, Kehrer JP. 1981. Modification of lung tumor development in A/J mice. Toxicology 21:37-45.
- Witzleben CL, Boyer JL, Ng OC. 1987. Manganese-bilirubin cholestasis. Further studies in pathogenesis. Lab Invest 56:151-154.
- *Wolters EC, Huang CC, Clark C, et al. 1989. Positron emission tomography in manganese intoxication. Ann Neurol 26:647-651.
- *Wong GHW and Goeddel DV. 1988. Induction of manganous superoxide dismutase by tumor necrosis factor: possible protective mechanism. Science 242:941-944.
- *Wong PK. 1988. Mutagenicity of heavy metals. Bull Environ Contam Toxicol 40:597-603.
- *Woodrow JE, Seiber JN, Fitzell D. 1995. Analytical method for the dithiocarbamate fungicides ziram and mancozeb in air: Preliminary field results. J Agric Food Chem 43:1524-1529.
- *Wu W, Zhang Y, Zhang F, et al. 1996. [Studies on the semen quality in workers exposed to manganese and electric welding]. Chin J Prev Med 30:266-268. (Chinese)
- *Yamada M, Ohno S, Okayasu I, et al. 1986. Chronic manganese poisoning: A neuropathological study with determination of manganese distribution in the brain. Acta Neuropathol (Berl) 70:273-278.

MANGANESE 460 8. REFERENCES

- *Yen HC, Oberley TD, Vichitbandha S, et al. 1996. The protective role of superoxide dismutase against adriamycin-induced cardiac toxicity in transgenic mice. J Clin Invest 98:1253-1260.
- *Yiin SJ, Lin TH, Shih TS. 1996. Lipid peroxidation in workers exposed to manganese. Scand J Work Environ Health 22:381-386.
- Yong VW, Perry TL, Godolphin WJ, et al. 1986. Chronic organic manganese administration in the rat does not damage dopaminergic nigrostriatal neurons. Neurotoxicology 7:19-24.
- *Zaidi SH, Dogra RK, Shanker R, et al. 1973. Experimental infective manganese pneumoconiosis in guinea pigs. Environ Res 6:287-297.
- *Zakour RA, Glickman BW. 1984. Metal-induced mutagenesis in the *lacI* gene of *Escherichia coli*. Mutat Res 126:9-18.
- Zaprianov ZK, Tsalev DL, Gheorghieva RB, et al. 1985. New toxicokinetic exposure tests based on atomic absorption analysis of toenails. I. Manganese. Proceedings of the 5th International Conference on Heavy Metals in the Environment 2:95-97.
- *Zavanella T, Zaffaroni NP, Arias E. 1984. Abnormal limb regeneration in adult newts exposed to the fungicide Maneb 80: A histological study. J Toxicol Environ Health 13:735-745.
- *Zayed J, Gérin M, Loranger S, et al. 1994. Occupational and environmental exposure of garage workers and taxi drivers to airborne manganese arising from the use of methylcyclopentadienyl manganese tricarbonyl in unleaded gasoline. Am Ind Hyg Assoc J 55:53-58.
- *Zayed J, Mikhail M, Loranger S, et al. 1996. Exposure of taxi drivers and office workers to total respirable manganese in an urban environment. Am Ind Hyg Assoc J 57:376-380.
- *Zayed J, Thibault C, Gareau L, et al. 1999. Airborne manganese particulates and methylcyclopentadienyl manganese tricarbonyl (MMT) at selected outdoor sites in Montreal. Neurotoxicology 20:151-157.
- *Zayed J, Vyskocil A, Kennedy G. 1999. Environmental contamination and human exposure to manganese: Contribution of methylcyclopentadienyl manganese tricarbonyl in unleaded gasoline. Int Arch Occup Environ Health 72:7-13.
- *Zhang G, Liu D, He P. 1995. [Effects of manganese on learning abilities in school children] Chung Hua Yu Fang I Hsueh Tsa Chih 29:156-158
- *Zheng W, Ren S, Graziano JH. 1998. Manganese inhibits mitochondrial aconitase: a mechanism of manganese neurotoxicity. Brain Res 799:334-342.
- Zidenberg-Cherr S, Hurley LS, Lönnerdal B, et al. 1985. Manganese deficiency: Effects on susceptibility to ethanol toxicity in rats. J Nutr 115:460-467.
- *Ziegler EE, Edwards BB, Jensen RL, et al. 1978. Absorption and retention of lead by infants. Pediatr Res 12:29-34.

MANGANESE 461 8. REFERENCES

*Zielinski WL, Jr. and Fishbein L. 1966. Gas chromatography of metallic derivatives of ethylenebis(dithiocarbamic acids). J Chromatogr 23:302-304.

Zielhuis RL, del Castilho P, Herber RF, et al. 1978. Levels of lead and other metals in human blood: Suggestive relationships, determining factors. Environ Health Perspect 25:103-109.

*Zlotkin SH, Buchanan BE. 1986. Manganese intakes in intravenously fed infants: Dosages and toxicity studies. Biol Trace Element Res 9:271-279.